

1879.

NEW SOUTH WALES.

VITAL STATISTICS.

TWENTY-THIRD ANNUAL REPORT

FROM

THE REGISTRAR GENERAL, ON VITAL STATISTICS.

Presented to Parliament by Command.



SYDNEY: THOMAS RICHARDS, GOVERNMENT PRINTER.

1879.

1879.

VITAL STATISTICS.

THE REGISTRAR GENERAL TO THE HONORABLE THE COLONIAL SECRETARY,

TRANSMITTING ABSTRACTS OF

MARRIAGES, BIRTHS, AND DEATHS,

FOR THE YEAR 1878 :

WITH PREFATORY REPORT.

Sir,

Registrar General's Department, Sydney, May 26, 1879.

The report which I now have the honor to submit embraces all the usual details regarding the Marriages, Births, and Deaths registered in the Colony during the year 1878. The various tables in this Report, with those in the Appendix, have been compiled from the Returns of 121 District Registrars.

The population of the Colony on 31st December, 1878, is estimated at 693,743 persons. The increase on the previous year amounts to 31,531 persons, or 4.76 per cent. The estimated number of males is 385,678 and of females 308,065. We find then that there were 77,613 more males than females, which gives 556 males and 444 females to 1,000 of population, the former being 112 in every 1,000 in excess of the latter, and 2 per 1,000 over the figures of the previous year. The increase of population for each half-year is found to be as follows :—

HALF-YEAR ending 30th June, 1878.

Births	12,127	Deaths	5,971
Arrivals by sea	19,918	Departures by sea	12,970
Total	32,045	Total	18,941

The net increase at the close of the first six months of the year being 13,104, the births exceeding the deaths by 6,156, and the arrivals were 6,948 over the departures.

HALF-YEAR ending 31st December, 1878.

Births	13,201	Deaths	4,792
Arrivals by sea	19,961	Departures by sea	9,943
Total	33,162	Total	14,735

These figures show a net increase in the second half of the year of 18,427.

The

The births being 8,409 in excess of the deaths, and arrivals, 10,018 over the departures.

The number of marriages celebrated in the Colony during the year 1878 amounted to 5,317, being 323 in excess of those for the previous year. There were 25,328 births registered in the year, showing an increase of 1,477 on the preceding year. The number of deaths recorded was 10,763 as against 9,869 in the previous year, which shows an increase of 894.

(A.)

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS, registered in the Colony of New South Wales, during each Quarter of the Year 1878.

Quarter ended—	Marriages.	Births.			Deaths.		
		Males.	Females.	Total.	Males.	Females.	Total.
Sydney—							
31st March.....	358	424	422	846	337	307	644
30th June	386	428	423	851	316	268	584
30th September.....	350	501	455	956	304	236	540
31st December	324	411	420	831	296	257	553
Total.....	1,418	1,764	1,720	3,484	1,253	1,068	2,321
Suburbs—							
31st March.....	158	436	418	854	215	199	414
30th June	149	454	446	900	255	226	481
30th September.....	172	518	496	1,014	186	163	349
31st December	153	440	466	906	201	206	407
Total.....	632	1,848	1,826	3,674	857	794	1,651
Country Districts—							
31st March.....	812	2,257	2,005	4,262	1,162	733	1,895
30th June	828	2,278	2,136	4,414	1,187	766	1,953
30th September.....	815	2,568	2,438	5,006	909	538	1,447
31st December	812	2,367	2,121	4,488	916	580	1,496
Total.....	3,267	9,470	8,700	18,170	4,174	2,617	6,791
New South Wales—							
31st March.....	1,328	3,117	2,845	5,962	1,714	1,239	2,953
30th June	1,363	3,160	3,005	6,165	1,758	1,260	3,018
30th September.....	1,337	3,587	3,389	6,976	1,399	937	2,336
31st December	1,289	3,218	3,007	6,225	1,413	1,043	2,456
Total.....	5,317	13,082	12,246	25,328	6,284	4,479	10,763

Taking the estimated population at the middle of the year, we find that the marriage rate of this Colony is 7·87 per 1,000, which shows a slight increase on the previous year, and also on the average of the previous nine years. There were 1,418 marriages celebrated in the City of Sydney, which is an increase of 75 on the preceding year. The rate per 1,000 is 13·89, as against 13·81 for the previous year, and 14·67 is the average of the previous nine years. The number of marriages celebrated in the Suburbs was 632, showing an increase of 56 on the previous year; the rate is found to be 7·81 per 1,000, which is 0·60 in advance of the previous year, and 2·56 over the average of the previous nine years; the marriage rate of this year is in excess of any one year in the decade. In the Country Districts there were 3,267 marriages, which exceed the previous years returns by 172. The rate per 1,000 is 6·63, as against 6·58 in 1877. Compared with the previous nine years average there is a very slight increase. More than 84 per cent. of the marriages were celebrated by the four principal denominations, viz., Church of England, 39·46; Roman Catholic, 18·98; Presbyterian, 15·44; and Wesleyan, 10·46. Marriages by Registrars nearly approach 6 per cent., leaving 10 per cent. to be divided between the remaining denominations. Table B, which now follows, gives a decennial return of the number of marriages celebrated by each denomination and by Registrars; and there is also a marriage table of increase and decrease.

(B.)

(B.)

Denomination.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.
Church of England.....	1,018	1,159	1,232	1,381	1,547	1,572	1,618	1,759	1,869	2,098
Roman Catholic	901	908	885	836	992	837	953	921	990	1,009
Presbyterian.....	663	548	648	827	914	886	906	761	854	821
Wesleyan	313	363	364	397	462	518	502	487	509	556
Primitive Methodist	58	70	60	73	60	60	93	101	110	94
Congregationalist.....	106	82	99	148	164	180	186	232	243	291
Baptist	25	37	30	51	44	52	46	39	70	89
Christian Israelite
Unitarian	4	3	4	3	3	1	1	1
Hebrew	13	4	10	6	10	10	11	14	20	20
Protestant Episcopal	2	5	16	16	3	7
Free Church of England...	446	451	395
German Evangelical	2	7	4	9	7	14	17	19	20	11
Christians	6	1	3	3	4	4	3	11
Free Gospel Church	1
Free Christian Church	2	2
Registrars' Offices	243	215	219	191	179	208	250	275	303	309
Total	3,799	3,848	3,953	3,925	4,384	4,343	4,605	4,630	4,994	5,317

MARRIAGE TABLE of Increase and Decrease.

Denomination.	1877.	1878.	1877. Per cent.	1878. Per cent.	Increase. Per cent.	Decrease. Per cent.
Church of England.....	1,869	2,098	37'42	39'46	2'04
Roman Catholic	990	1,009	19'83	18'98	0'85
Presbyterian.....	854	821	17'10	15'44	1'66
Wesleyan	509	556	10'19	10'46	0'27
Congregational.....	243	291	4'87	5'47	0'60
Primitive Methodist	110	94	2'20	1'77	0'43
Baptist	70	89	1'40	1'68	0'28
Hebrew.....	20	20	0'40	0'38	0'02
Protestant Episcopal	3	7	0'06	0'13	0'07
German Evangelical	20	11	0'40	0'20	0'20
Christians.....	3	11	0'06	0'20	0'14
Unitarian	1	0'02	0'02
Registrars' Offices	303	309	6'07	5'81	0'26
	4,994	5,317	100'00	100'00	3'42	3'42

The number of persons who were married during the year is 10,634. Of this number 4,775 are described as bachelors, 4,726 as spinsters, 540 as widowers, 588 as widows, 2 as divorced men, and 3 as divorced women. Out of the total number married, 1,635 (15'37 per cent.) were minors, comprising 138 males and 1,497 females, being 8'44 and 91'56 per cent. respectively. There were 123 minors who were unable to sign the register, being 7'51 per cent. of total number of minors married.

TABLE of Bachelors, Spinsters, &c.

	No. of Marriages.	Bachelors.	Spinsters.	Widowers.	Widows.	Divorced Men.	Divorced Women.
Sydney	1,418	1,242	1,242	175	175	1	1
Suburbs	632	551	559	81	73
Country Districts	3,267	2,982	2,923	284	340	1	2
Total	5,317	4,775	4,726	540	588	2	3

TABLE of Minors.

	No. of Marriages.	Minors.		
		Male.	Female.	Total.
Sydney	1,418	30	242	272
Suburbs	632	15	149	164
Country Districts	3,267	93	1,106	1,199
Total.....	5,317	138	1,497	1,635

MINORS and Marks.

	Males.	Females.	Total.
Sydney	2	8	10
Suburbs	3	3
Country Districts	7	103	110
Total	9	114	123

The following figures show the number of those married who signed their names to the Registers and those who were unable to affix their signatures. We see that in the City of Sydney there were 203 of this latter class (7·16 per cent.), comprising 84 males and 119 females; in the Suburbs, 58 (4·59 per cent.), comprising 26 males and 32 females; and in the Country Districts, 602 (9·21 per cent.), comprising 300 males and 302 females. The total number in the Colony is shown to be 863 (8·10 per cent.), comprising 410 males and 453 females. The percentage for the year under review is less by 1·66 per cent. than that of the previous year; in fact there has been a gradual decline for some years past.

	No. of Marriages.	Signatures.			Marks.			Marks per cent.
		Males.	Females.	Total.	Males.	Females.	Total.	
Sydney	1,418	1,334	1,299	2,633	84	119	203	7·16
Suburbs	632	606	600	1,206	26	32	58	4·59
Country Districts	3,267	2,967	2,965	5,932	300	302	602	9·21
Totals	5,317	4,907	4,864	9,771	410	453	863	8·10

(C.)
TABLE showing the number of MARRIAGES registered in the Colony of New South Wales during each Quarter of the Years 1869 to 1878.

		Estimated Population at the middle of the Year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	1869	74,310	332	330	299	314	1,275	17'15
	1870	77,131	297	313	323	302	1,225	16'01
	1871	79,540	320	325	316	255	1,216	15'28
	1872	79,745	305	256	264	230	1,055	13'23
	1873	83,000	316	346	299	297	1,258	15'15
	1874	86,213	277	339	306	302	1,224	14'19
	1875	89,796	324	324	297	287	1,232	13'72
	1876	93,269	321	349	296	298	1,264	13'55
	1877	97,235	339	344	350	310	1,343	13'81
	1878	102,056	358	386	350	324	1,418	13'89
			3,189	3,312	3,100	2,919	12,520	
Suburbs	1869	51,387	91	52	64	74	281	5'46
	1870	53,338	72	59	60	52	243	4'55
	1871	55,004	46	47	60	61	214	3'88
	1872	63,160	73	71	65	77	286	4'52
	1873	65,738	90	65	69	92	316	4'80
	1874	68,281	80	81	77	75	313	4'58
	1875	71,119	102	114	101	109	426	5'99
	1876	73,872	113	101	117	132	463	6'26
	1877	77,014	114	157	125	160	556	7'21
	1878	80,833	158	149	172	153	632	7'81
			939	896	910	985	3,730	
Country Districts	1869	349,877	574	546	572	551	2,243	6'41
	1870	363,162	646	539	576	609	2,370	6'52
	1871	374,504	657	661	630	575	2,523	6'73
	1872	384,777	679	648	613	644	2,584	6'71
	1873	400,479	729	710	685	686	2,810	7'01
	1874	415,976	689	729	707	681	2,806	6'74
	1875	433,264	786	731	740	690	2,947	6'80
	1876	450,025	832	713	687	671	2,903	6'45
	1877	469,163	791	773	777	754	3,095	6'58
	1878	492,427	812	828	815	812	3,267	6'63
			7,195	6,878	6,802	6,673	27,548	
New South Wales	1869	475,574	997	928	935	939	3,799	7'98
	1870	493,631	1,015	911	959	963	3,848	7'79
	1871	509,048	1,023	1,033	1,006	891	3,953	7'76
	1872	527,682	1,057	975	942	951	3,925	7'44
	1873	549,217	1,135	1,121	1,053	1,075	4,384	7'98
	1874	570,470	1,046	1,149	1,090	1,058	4,343	7'61
	1875	594,179	1,212	1,169	1,138	1,086	4,605	7'75
	1876	617,166	1,266	1,163	1,100	1,101	4,630	7'51
	1877	643,412	1,244	1,274	1,252	1,224	4,994	7'76
	1878	675,316	1,328	1,363	1,337	1,289	5,317	7'87
			11,323	11,086	10,812	10,577	43,798	

BIRTHS.

The number of births registered in the Colony during the year 1878 was 25,328, consisting of 13,082 males and 12,246 females, being 1,477 in excess of the births for the previous year. The per-centage of male births is 51·65, and of female births 48·35, showing a difference in favour of the former of 3·30 per cent. The ratio of births to every 1,000 of estimated population is 37·50, being slightly in excess of the figures of the previous year, and 1·26 per cent. lower than the average of the previous nine years. The number of births registered in the City is 3,484, being 85 more than in the previous year. The birth rate for the year is 34·13, which is 0·82 under the rate of the previous year, and 2·35 lower than the average rate for the previous nine years. There were 3,674 births recorded in the Suburbs, showing 572 in excess of the figures of the previous year. The birth rate is found to be 45·45, which is an increase of 3·30 per cent. on the rate of the preceding year, and also of 2·13 per cent. on the average of the previous nine years. Births registered in the Country districts numbered 18,170. The increase on the previous year is 964. The rate per 1,000 is 36·89, which is slightly in excess of that for the previous year, but 1·64 under the average rate of the previous nine years.

(D.)

TABLE showing the number of BIRTHS registered in the Colony of New South Wales during each Quarter of the Years 1869 to 1878.

		Estimated Population at the middle of the year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	{ 1869	74,310	637	762	782	664	2,845	38·28
	{ 1870	77,131	685	757	773	694	2,909	37·71
	{ 1871	79,540	724	752	802	702	2,980	37·48
	{ 1872	79,745	700	729	727	723	2,879	36·09
	{ 1873	83,000	760	755	826	724	3,065	36·92
	{ 1874	86,213	762	775	824	760	3,121	36·20
	{ 1875	89,796	748	858	797	759	3,162	35·21
	{ 1876	93,269	838	865	873	734	3,310	35·48
	{ 1877	97,235	818	796	896	889	3,399	34·95
	{ 1878	102,056	846	851	956	831	3,484	34·13
			7,518	7,900	8,256	7,480	31,154	
Suburbs	{ 1869	51,387	581	679	615	644	2,519	49·02
	{ 1870	53,338	596	679	654	617	2,546	47·73
	{ 1871	55,004	632	652	666	651	2,601	47·28
	{ 1872	63,160	580	612	659	585	2,436	38·56
	{ 1873	65,738	696	700	710	657	2,763	42·03
	{ 1874	68,281	637	713	729	708	2,787	40·80
	{ 1875	71,119	685	740	785	698	2,908	40·89
	{ 1876	73,872	721	772	832	733	3,058	41·39
	{ 1877	77,014	719	821	868	838	3,246	42·15
	{ 1878	80,833	854	900	1,014	906	3,674	45·45
			6,701	7,268	7,532	7,037	28,538	
Country Districts	{ 1869	349,877	3,298	3,430	3,679	3,472	13,879	39·66
	{ 1870	363,162	3,234	3,493	3,892	3,574	14,193	39·08
	{ 1871	374,504	3,521	3,537	3,903	3,601	14,562	38·88
	{ 1872	384,777	3,687	3,624	3,941	3,683	14,935	38·81
	{ 1873	400,479	3,755	3,509	4,202	4,150	15,616	38·99
	{ 1874	415,976	3,824	3,903	4,331	4,212	16,270	39·11
	{ 1875	433,264	3,893	4,113	4,282	4,170	16,458	37·98
	{ 1876	450,025	4,091	4,048	4,505	4,286	16,930	37·62
	{ 1877	469,163	4,083	4,220	4,657	4,246	17,206	36·67
	{ 1878	492,427	4,262	4,414	5,006	4,488	18,170	36·89
			37,648	38,291	42,398	39,882	158,219	
New South Wales	{ 1869	475,574	4,516	4,871	5,076	4,780	19,243	40·46
	{ 1870	493,631	4,515	4,929	5,319	4,885	19,648	39·80
	{ 1871	509,048	4,877	4,941	5,371	4,954	20,143	39·57
	{ 1872	527,682	4,967	4,965	5,327	4,991	20,250	38·37
	{ 1873	549,217	5,211	4,964	5,738	5,531	21,444	39·04
	{ 1874	570,470	5,223	5,391	5,884	5,680	22,178	38·87
	{ 1875	594,179	5,326	5,711	5,864	5,627	22,528	37·92
	{ 1876	617,166	5,650	5,685	6,210	5,753	23,298	37·75
	{ 1877	643,412	5,620	5,837	6,421	5,973	23,851	37·05
	{ 1878	675,316	5,962	6,165	6,976	6,225	25,328	37·50
			51,867	53,459	58,186	54,399	217,911	

During the year 1878 we find that the births of 1,021 illegitimate children were registered, comprising 536 males and 485 females. The per-centage of these births is 4·03 to the total number of births, as against 4·14 in the previous year. The ratio per 1,000 of estimated population is 1·51 for the Colony; for the City of Sydney, 3·10; for the Suburbs, 1·33; and for the Country districts, 1·00. Of the total number of illegitimate births there were 31·05 per cent. registered in Sydney, 10·58 per cent. in the Suburbs, and 58·37 per cent. in the Country districts.

(E.)

(E.)

TABLE showing the number of CHILDREN born out of WEDLOCK in the Colony of New South Wales, from 1st January, 1869, to 31st December, 1878.

Year.	Sydney.			Suburban.			Country Districts.			Total.		
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.
1869 ...	106	78	184	29	28	57	274	228	502	409	334	743
1870 ...	90	95	185	52	38	90	250	230	480	392	363	755
1871 ...	105	101	206	30	31	61	259	256	515	394	388	782
1872 ...	94	88	182	34	32	66	287	281	568	415	401	816
1873 ...	98	101	199	42	44	86	293	311	604	433	456	889
1874 ...	117	124	241	40	48	88	305	301	606	462	473	935
1875 ...	132	128	260	41	44	85	321	281	602	494	453	947
1876 ...	170	136	306	43	45	88	309	247	556	522	428	950
1877 ...	161	144	305	34	43	77	315	292	607	510	479	989
1878 ...	165	152	317	54	54	108	317	279	596	536	485	1,021
	1,238	1,147	2,385	399	407	806	2,930	2,706	5,636	4,567	4,260	8,727

The number of cases of triplets born in the Colony during the year 1878 was two, and of twins 196. The latter class comprised 195 males, and 197 females, in all 392 children; of these two were still-born. Twin children then formed 1·55 per cent of the total number of births.

(F.)

TABLE showing the number of TRIPLETS and TWINS born in the Colony of New South Wales, from 1st January, 1869, to 31st December, 1878.

Year.	Triplets.				Twins.			
	No. of Cases.	Males.	Females.	Total.	No. of Cases.	Males.	Females.	Total.
1869	4	6	6	12	165	161	169	330
1870	2	1	5	6	188	189	187	376
1871	1	2	1	3	194	198	190	388
1872	5	7	8	15	179	173	183	356†
1873	1	3	3	189	204	173	377*
1874	4	9	3	12	177	182	171	353*
1875	1	3	3	200	180	219	399*
1876	1	1	1	2*	195	188	193	381‡
1877	209	222	193	415§
1878	2	3	1	4†	196	195	197	392†
	21	29	31	61	1,892	1,892	1,875	3,767

* One still-born.

† Two still-born.

‡ Nine still-born.

§ Three still-born.

DEATHS.

The number of deaths registered in the Colony during the year 1878 was 10,763, which is an increase of 894 on the previous year. Male deaths numbered 6,284, and female 4,479, being 58·39 per cent. and 41·61 per cent. respectively, so that the former are 16·78 per cent. in excess of the latter. The death rate for the Colony for the year, at per 1,000 of estimated population, is 15·93 as against 15·34 for the previous year. The average death rate of the previous nine years is 14·96, which is lower by 0·97 than the figures for the year under review. The City death rate is shown to be 22·74, which is 2·17 over the figures for the previous year and about the same as the average death rate of the previous nine years. The death rate of the Suburbs is 20·42, showing an increase of 3·27 on the previous year and of 2·73 on the preceding nine years average. In the Country districts we find the year's death rate to be 13·77, which nearly corresponds with the previous year, but is 0·83 higher than the average of the previous nine years.

(G.)

(G.)

TABLE showing the number of DEATHS registered in the Colony of New South Wales, during each Quarter of the Years 1869 to 1878.

		Estimated population at the middle of each year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
Sydney	1869	74,310	371	354	377	409	1,511	20'33
	1870	77,131	386	355	337	414	1,492	19'34
	1871	79,540	332	362	439	450	1,583	19'90
	1872	79,745	477	398	438	497	1,810	22'69
	1873	83,000	468	430	408	494	1,800	21'68
	1874	86,213	460	401	492	724	2,077	24'09
	1875	89,796	900	560	562	651	2,673	29'76
	1876	93,269	758	699	565	469	2,491	26'70
	1877	97,235	525	519	419	537	2,000	20'57
	1878	102,056	644	584	540	553	2,321	22'74
			5,321	4,662	4,577	5,198	19,758	
Suburbs.....	1869	51,387	240	226	220	245	931	18'11
	1870	53,338	200	193	187	210	790	14'81
	1871	55,004	182	169	247	285	883	16'05
	1872	63,160	244	184	192	295	915	14'48
	1873	65,738	213	248	249	287	997	15'16
	1874	68,281	298	291	262	348	1,199	17'56
	1875	71,119	533	332	295	487	1,647	23'15
	1876	73,872	516	505	332	332	1,685	22'81
	1877	77,014	331	375	258	357	1,321	17'15
	1878	80,833	414	481	349	407	1,651	20'42
			3,171	3,004	2,591	3,253	12,019	
Country Districts.....	1869	349,877	1,216	1,141	940	952	4,249	12'14
	1870	363,162	1,216	1,122	994	944	4,276	11'77
	1871	374,504	988	949	969	1,035	3,941	10'52
	1872	384,777	1,418	1,134	1,110	1,081	4,743	12'32
	1873	400,479	1,326	1,180	1,169	1,139	4,814	12'02
	1874	415,976	1,350	1,409	1,309	1,308	5,376	12'92
	1875	433,264	1,749	1,879	1,452	1,371	6,451	14'89
	1876	450,025	1,738	1,954	1,739	1,586	7,017	15'59
	1877	469,103	1,987	1,765	1,450	1,346	6,548	13'95
	1878	492,427	1,895	1,953	1,447	1,496	6,791	13'77
			14,883	14,486	12,579	12,258	54,206	
New South Wales	1869	475,574	1,827	1,721	1,537	1,606	6,691	14'06
	1870	493,631	1,802	1,670	1,518	1,568	6,558	13'28
	1871	509,048	1,502	1,480	1,655	1,770	6,407	12'58
	1872	527,682	2,139	1,716	1,740	1,873	7,468	14'15
	1873	549,217	2,007	1,858	1,826	1,920	7,611	13'85
	1874	570,470	2,108	2,101	2,063	2,380	8,652	15'16
	1875	594,179	3,182	2,771	2,309	2,509	10,771	18'12
	1876	617,166	3,012	3,158	2,636	2,387	11,193	18'13
	1877	643,412	2,843	2,659	2,127	2,240	9,869	15'34
	1878	675,316	2,953	3,018	2,336	2,456	10,763	15'94
			23,375	22,152	19,747	20,709	85,983	

INFANTILE MORTALITY.

The table of infantile mortality shows that out of the total number of deaths for the year (10,763), 4,884 were those of children under 5 years of age, which makes the percentage of these deaths to be 45'37 of the total number of deaths. With the exception of the year 1875 this is the highest percentage of any year in the decade. It is 1'86 per cent. over the figures of the previous year, and also 2'52 per cent. in excess of the average of the previous nine years. In the City infantile mortality is found to be 44'00 per cent. of total deaths, which is an increase of 3'15 per cent. on the previous year, but a decrease of 0'32 on the figures of the previous nine years average. The percentage of deaths under 5 years, to total deaths in the Suburbs, is 55'72, being higher than the preceding year, and the average of the previous nine years by 0'99 and 0'91 respectively. As compared with the total number of deaths in the country, those under 5 years of age are found to be 43'32 per cent., which is higher than the figures of any one year in the decade, and 1'25 per cent. over the previous year, and also 1'59 in excess of the previous nine years average.

(H.)

INFANTILE MORTALITY.

Year.	Total Deaths of the year.	Total Deaths under 5 years.	Percentage of total Deaths under 5 years to Deaths of the year.	Sydney.			Suburbs.			Country Districts.		
				Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.	Total Deaths of year.	Deaths under 5 years.	Percentage of Deaths under 5 years to total Deaths.
1869	6,691	2,973	44'43	1,511	712	47'12	931	553	59'39	4,249	1,708	40'19
1870	6,558	2,803	42'74	1,492	673	45'10	790	411	52'02	4,276	1,719	40'20
1871	6,407	2,705	42'21	1,583	743	46'93	883	487	55'15	3,941	1,475	37'42
1872	7,468	3,203	42'91	1,810	815	45'02	915	503	54'97	4,743	1,885	39'74
1873	7,611	2,924	38'42	1,800	719	39'94	997	510	51'15	4,814	1,695	35'62
1874	8,652	3,768	43'55	2,077	929	44'72	1,199	672	56'04	5,376	2,167	40'31
1875	10,771	4,958	46'03	2,673	1,264	47'29	1,647	923	55'43	6,451	2,781	43'10
1876	11,193	4,670	41'72	2,491	1,024	41'10	1,585	917	54'42	7,017	2,729	38'89
1877	9,869	4,293	43'49	2,000	815	40'75	1,321	723	54'73	6,548	2,755	42'07
1878	10,763	4,884	45'37	2,321	1,022	44'00	1,651	920	55'72	6,791	2,942	43'32
	85,983	37,181		19,758	8,716		12,019	6,609		54,206	21,856	
Mean of 10 years	8,598	3,717		1,975	871		1,201	660		5,420	2,185	

TABLE showing the BIRTHS and DEATHS of Males and Females registered in each Ward of the City of Sydney, from the 1st January to the 31st December, 1878, distinguishing the Deaths under 5 years of age.

Wards.	Population Census, 1871.	Births.			Deaths.						Total Deaths.
					Under 5 years.			Above 5 years.			
		Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	
1. Gipps	8,969	198	202	400	49	48	97	87	40	127	224
2. Bourke	5,257	59	67	126	20	20	40	252	150	402	442†
3. Brisbane	7,269	121	132	253	36	41	77	43	27	70	147
4. Macquarie ...	7,945	129	133	262	41	37	78	38	35	73	151
5. Cook	14,694	451	464	915	130	114	244	99	97	196	440
6. Fitzroy	12,000	254	224	478	71	57	128	91	109	200	328‡
7. Phillip	8,154	284	259	543	97	91	188	47	58	105	293§
8. Denison	10,135	268	239	507	83	84	167	69	60	129	296
Total	*74,423	1,764	1,720	3,484	527	492	1,019	726	576	1,302	2,321

* Exclusive of the Islands in Port Jackson. † 302 of these deaths occurred in the Sydney Infirmary and 54 in the Hyde Park Asylum.
‡ St. Vincent's Hospital, 32 deaths; Darlinghurst Gaol, 15; and Lunatic Reception House, 2. § Benevolent Asylum, 76.

	Population, Census, 1871.	Births.	Deaths under 5.	Total Deaths.
1. Sydney	76,159	3,484	1,022	2,321
2. Balmain	6,886	514	139	216
3. Glebe	5,721	332	82	163
4. Newtown	7,922	523	132	257
5. Redfern	8,092	505	128	217
6. Waterloo	6,306	395	125	186
7. Paddington	11,411	477	110	198
Randwick		42	10	23
Waverley		61	14	29
Woollahra		13	1
8. Concord		198	71	120
9. St. George	5,340	325	51	124
10. St. Leonards	5,126	252	54	107
Manly		37	4	10

Comparing the deaths of children under 5 years of age with the total deaths in each ward of the City it will be seen that Phillip Ward heads the list with a percentage of 64'16; then Denison stands at 56'42; Cook, 55'45; Brisbane, 52'38; Macquarie, 51'65; Gipps, 43'30; Fitzroy, 39'02; and Bourke, 9'05. In this last-named ward is situate the Infirmary and Hyde Park Asylum, in which there were 302 and 54 deaths respectively—no doubt composed chiefly of adults. Deducting these, we find the infantile mortality to be 46'50.

Ward.	Percentage of—																																							
	Deaths under 5 years to total Deaths in each Ward.										Deaths under 5 years to Births in each Ward.										Total Deaths to Births in each Ward.										Total Deaths to Population in each Ward. (Census 1861 and 1871.)									
	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.
1. Gipps	53'75	51'53	57'05	48'48	45'39	52'34	56'13	42'13	51'40	43'30	22'16	19'39	22'82	22'47	20'96	29'71	37'37	23'04	22'66	24'25	41'23	37'45	40'00	46'34	46'17	56'76	66'58	54'68	44'09	56'00	2'21	1'81	1'75	1'84	1'81	2'38	2'82	2'41	2'00	2'50
*2. Bourke	13'62	11'41	13'01	13'53	10'74	9'44	12'50	6'57	9'46	9'05	25'78	26'62	35'07	40'16	36'52	36'21	55'09	25'20	35'00	31'75	5'84	6'28	6'86	6'88	7'43	8'46	9'89	9'26	8'44	8'41	
3. Brisbane	55'40	50'72	58'82	47'91	39'86	56'73	49'05	45'15	41'10	52'38	26'79	24'47	27'30	23'09	18'91	41'99	38'01	36'47	29'13	30'43	48'36	43'25	45'41	43'16	47'43	74'02	77'49	80'78	70'87	58'10	2'34	2'18	1'87	1'98	2'03	2'86	2'89	2'83	2'24	2'02
4. Macquarie.....	55'26	46'96	53'02	51'87	46'71	43'24	50'27	49'71	48'61	51'65	28'00	16'48	21'16	25'27	22'45	22'94	33'21	29'29	24'65	29'77	50'66	35'10	39'78	48'71	44'56	53'05	66'07	58'92	50'70	57'63	1'68	1'46	1'37	1'67	1'72	1'86	2'33	2'20	1'81	1'90
5. Cook	55'15	63'72	57'14	55'62	53'77	61'16	58'27	58'27	52'25	55'45	21'61	22'49	18'93	27'51	23'95	30'62	41'00	34'65	20'56	26'67	39'19	35'30	33'12	49'45	44'54	50'07	70'37	59'47	39'35	48'09	2'34	2'60	1'48	2'18	2'25	2'47	3'62	3'37	2'56	2'99
6. Fitzroy	54'61	46'66	52'57	42'75	39'14	47'53	46'91	40'97	38'34	39'02	25'62	25'21	31'56	27'00	23'11	28'72	39'48	33'48	21'41	26'78	46'92	50'77	60'04	63'15	59'03	60'42	84'16	81'72	55'85	68'62	2'57	2'70	2'26	2'30	2'15	2'37	2'23	3'09	2'11	2'73
7. Phillip	54'44	59'37	65'62	57'47	53'84	57'14	61'59	49'82	58'95	64'16	30'43	26'76	29'34	27'47	23'09	27'55	38'28	28'25	27'44	34'62	55'90	45'07	44'56	47'80	42'89	48'22	62'15	56'71	46'54	53'96	3'04	2'70	1'96	2'13	2'07	2'66	3'54	3'42	2'81	3'59
8. Denison	60'00	54'60	56'27	64'41	54'18	56'56	64'53	54'02	54'03	56'42	24'05	22'13	22'98	39'89	25'82	26'48	44'31	30'92	25'00	32'94	40'09	40'54	40'75	61'94	47'65	46'81	68'68	57'24	46'27	58'38	2'11	2'02	1'69	2'33	2'00	1'95	2'92	2'57	2'68	2'92

* The Infirmary is situated in Bourke Ward.

District.	Percentage of—																																									
	Deaths under 5 years to total Deaths in each District.										Deaths under 5 years to Births in each District.										Total Deaths to Births in each District.										Total Deaths to Population in each District. (Census 1861 and 1871.)											
	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.		
1. Sydney	47'12	45'10	46'93	45'02	39'94	44'72	47'29	41'10	40'70	44'00	25'02	23'13	24'93	28'30	23'49	29'76	39'97	30'93	23'24	29'33	53'11	51'28	53'12	62'86	58'72	66'55	84'53	75'25	58'84	66'62	2'65	1'93	2'07	2'37	2'36	2'72	3'50	3'27	2'62	3'05		
2. Dalmain	62'88	52'94	58'06	61'54	57'62	64'62	61'43	63'05	52'94	64'35	19'74	18'30	17'76	22'00	18'88	25'06	33'24	34'13	18'24	27'04	31'39	34'57	30'60	35'73	32'77	38'78	54'12	54'13	34'45	42'02	2'46	2'58	1'35	1'52	1'71	2'13	3'05	2'94	2'22	3'14		
3. Glebe.....	65'67	60'16	52'87	53'93	49'07	57'44	63'52	53'25	56'25	50'31	27'93	24'58	16'91	17'84	17'32	27'93	33'44	28'21	26'13	24'69	42'54	40'86	31'98	33'08	35'29	48'62	52'64	53'00	46'45	49'09	3'61	3'31	1'52	1'55	1'88	2'46	2'77	2'95	2'51	2'85		
4. Newtown	54'02	41'77	53'12	47'36	52'41	57'83	52'90	53'55	57'17	51'37	20'43	12'17	19'10	18'15	19'95	23'13	39'24	27'83	24'73	25'24	37'82	29'15	35'95	38'32	38'05	40'00	74'19	51'97	43'34	49'14	2'05	1'86	1'45	1'67	1'83	2'09	3'69	2'66	2'59	3'24		
5. Redfern	68'16	63'15	66'40	65'51	55'15	57'00	60'90	54'16	60'00	58'94	25'49	19'41	23'38	24'35	22'75	23'72	32'00	27'95	23'23	25'35	37'40	30'73	35'21	37'17	41'25	41'63	52'50	51'61	38'70	42'97	3'65	3'11	1'98	1'79	2'03	2'21	2'72	2'96	2'22	2'68		
*6. Waterloo	66'94	57'14	67'54	68'04	55'34	57'92	67'20	27'27	24'43	33'44	36'87	32'30	26'53	31'65	40'74	42'76	49'50	54'19	58'35	45'81	47'09	1'91	2'10	2'39	3'08	3'26	2'60	2'95		
7. Paddington...	53'48	45'37	54'60	52'72	44'56	51'04	54'06	54'64	52'90	55'56	22'44	13'00	20'75	24'54	16'14	26'07	32'33	33'48	19'29	23'06	41'95	28'64	38'00	46'61	36'14	51'07	59'81	66'06	36'47	41'51	2'53	1'58	1'30	1'44	1'31	1'98	2'27	2'77		
* Randwick }	23'06	54'76	1'69	2'19	
Waverley... }	18'18	40'00	33'33	32'26	20'68	36'84	43'48	18'18	13'33	17'64	37'03	13'04	18'18	22'95	33'33	53'00	...	63'04	49'35	47'54	
Woollahra }	
8. Concord	52'17	36'73	43'90	44'67	50'00	40'10	44'70	55'00	58'25	59'17	18'90	12'94	12'58	16'28	15'13	13'12	23'89	37'42	32'08	35'86	36'22	35'25	28'67	37'20	30'26	32'50	53'46	68'10	55'08	60'61	1'95	2'07	1'16	1'33	1'30	1'47	2'41	3'15	2'92	3'41		
9. St. George ...	50'49	55'40	39'80	53'35	37'09	48'43	39'00	53'60	45'55	41'12	16'45	13'89	12'19	15'58	11'16	16'06	21'10	26'80	17'89	15'68	32'58	25'08	30'62	22'72	30'10	33'16	54'13	50'00	39'29	38'15	1'79	1'31	1'16	0'84	1'16	1'19	2'21	2'36	1'88	2'32		
10. St. Leonards..	46'94	34'78	45'45	32'72	48'33	44'94	35'90	50'00	50'00	50'46	14'11	8'51	16'21	9'27	14'35	19'51	13'40	25'20	15'60	21'43	30'06	24'46	35'67	28'35	30'00	43'41	37'32	50'41	31'20	42'46	1'42	1'33	1'28	1'07	1'16	1'73	1'52	2'38	1'52	...		
Manly	40'00	10'81	27'03

* Waterloo was not created a separate Registry District till January, 1872; Randwick a Sub-district of Paddington in September, 1872; and Waverley, Sub-district of Paddington, 1st August, 1876; Woollahra a Sub-district of Paddington, 1st August, 1878; Manly a Sub-district of St. Leonards, 1st July.

The percentage of infantile deaths to total number of deaths in the suburbs is as follows:—
Waterloo, 67·20 ; Balmain, 64·35 ; Concord, 59·16 ; Redfern, 59·00 ; Paddington, 53·38 ; Newtown, 51·36 ;
Glebe, 50·31 ; St. Leonards, 49·57 ; St. George, 41·13.

We now come to the particular diseases which have contributed to the deaths of the colony during the year 1878. From the decennial table we find that zymotic diseases form 25·61 per cent. of the number of deaths, and of this class the order known as miasmatic absorbs 22·66 per cent. Zymotic diseases as 2·34 per cent. in excess of those for the previous year, and also 3·04 per cent. of the average of the previous nine years. Class II—Constitutional—produced 11·80 per cent. of deaths ; tubercular diseases predominating. Here we find the percentage is 1·45 lower than the previous year, and also 0·57 under the average of the previous nine years. Under the third-class—local diseases—the percentage is 37·37, to which the orders known as nervous and respiratory contributed 13·26 and 10·03 respectively. The percentage of this class is about the same as that for the previous year, but 1·17 per cent. lower than the preceding nine years average.

Developmental diseases comprise 17·36 per cent. of total deaths. This proportion is slightly lower than that for the previous year and nine years.

(K.)

	1869. Per- centage.	1870. Per- centage.	1871. Per- centage.	1872. Per- centage.	1873. Per- centage.	1874. Per- centage.	1875. Per- centage.	1876. Per- centage.	1877. Per- centage.	1878. Per- centage.
CLASS I.—ZYMOTIC DISEASES.										
Order 1.—Miasmatic Diseases—Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. ...	20·41	17·37	16·58	19·09	15·52	20·09	27·12	26·36	19·85	22·66
2.—Enthetic Diseases—Syphilis, Gonorrhœa, &c.	0·19	0·26	0·28	0·36	0·46	0·34	0·23	0·44	0·26	0·21
3.—Dietic Diseases—Privation, Scurvy, Delirium Tremens, &c.	1·60	0·98	1·16	1·29	1·59	1·50	1·66	2·31	2·57	2·28
4.—Parasitic Diseases, Thrush, Worms, &c.	0·30	0·34	0·36	0·29	0·28	0·45	0·39	0·42	0·59	0·46
	22·50	18·95	18·38	21·03	17·85	22·38	29·46	29·53	23·27	25·61
CLASS II.—CONSTITUTIONAL.										
Order 1.—Diathetic Diseases—Gout, Dropsy, Cancer, &c.	3·62	3·52	4·03	4·09	4·27	3·69	3·24	3·58	3·78	3·39
2.—Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	7·53	9·01	9·24	9·52	8·78	8·74	8·22	7·83	8·67	8·41
	11·15	12·53	13·27	13·61	13·05	12·43	11·46	11·41	12·45	11·80
CLASS III.—LOCAL.										
Order 1.—Nervous—Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease, &c.	14·09	14·44	15·36	15·33	15·50	14·62	12·13	11·55	12·62	13·26
2.—Circulation—Pericarditis, Aneurism, Heart Disease, &c.	5·16	6·08	5·85	5·01	5·99	5·73	4·61	4·79	4·84	4·99
3.—Respiratory—Bronchitis, Pneumonia, Asthma, Pleurisy, &c.	10·12	9·64	10·47	9·35	10·87	11·34	10·13	10·09	10·87	10·03
4.—Digestive—Gastritis, Enteritis, Peritonitis, Hernia, &c.	6·83	6·67	7·10	6·81	7·15	6·31	6·64	6·36	7·27	7·07
5.—Urinary—Nephritis, Ischuria, Diabetes, &c.	1·27	1·18	1·64	1·42	1·60	1·68	1·62	1·80	1·92	1·73
6.—Generation—Ovarian Dropsy, Uterus Diseases, &c.	0·46	0·24	0·34	0·47	0·25	0·17	0·21	0·24	0·08	0·07
7.—Joints—Arthritis, Ostitis, Periostitis, &c.	0·15	0·12	0·14	0·12	0·14	0·11	0·18	0·18	0·11	0·10
8.—Integumentary—Phlegmon, Ulcer, Skin Disease, &c.	0·33	0·21	0·19	0·23	0·06	0·13	0·10	0·20	0·16	0·12
	38·41	38·58	41·09	38·44	41·56	40·09	35·62	35·21	37·87	37·37
CLASS IV.—DEVELOPMENTAL.										
Order 1.—Children—Cyanosis, Spina-Bifida, Teething, &c.	5·47	5·46	4·62	5·06	4·32	4·36	4·68	4·23	6·28	5·63
2.—Adults—Paramenia, Childbirth, &c.	0·69	0·70	0·80	0·49	0·74	1·00	0·98	1·26	1·03	0·80
3.—Old People—Old Age, &c.	4·95	5·32	5·26	5·54	6·42	5·13	4·96	5·45	5·08	5·90
4.—Nutrition—Atrophy, Debility	7·13	7·37	6·54	6·25	7·06	6·27	5·57	4·98	5·51	5·03
	18·24	18·85	17·22	17·34	18·54	16·76	16·19	15·92	17·90	17·36
CLASS V.—VIOLENCE.										
Order 1.—Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.	7·67	9·68	8·67	7·91	7·82	6·84	6·02	6·34	6·72	6·83
2.—Wounds in Battle—Gunshot Wounds...
3.—Homicide—Murder and Manslaughter...	0·21	0·13	0·34	0·27	0·24	0·28	0·15	0·24	0·21	0·21
4.—Suicide—Poison, Drowning, Hanging, &c.	0·57	0·53	0·44	0·55	0·46	0·65	0·48	0·42	0·61	0·23
5.—Execution—Hanging	0·03	0·07	0·05	0·03	0·02	0·03	0·01	0·01
Unclassified—Violent Deaths	0·07
	8·45	10·34	9·48	8·80	8·57	7·80	6·74	7·03	7·55	7·28
Unspecified.....	1·25	0·75	0·56	0·78	0·43	0·54	0·59	0·90	0·96	0·58

TABLE showing the Deaths at all Ages from 1 to 100 years, in Sydney, Suburbs, and the Country Districts, for the year ended 31st December, 1878.

	Under 1 year.	1 to 2 y. ag.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 to 80 years.	80 to 85 years.	85 to 90 years.	90 to 95 years.	95 to 100 years.	100 years and upwards.	Age unspecified.	Grand Total.
Males—																											
Sydney	338	114	34	23	21	30	15	20	54	45	57	78	69	78	55	48	50	47	34	20	13	3	7	1253
Suburbs	296	108	30	16	16	28	18	11	23	23	23	23	25	33	32	30	24	24	31	29	6	5	1	2	857
Country Districts	1015	321	85	69	53	159	94	89	127	126	125	183	196	207	200	152	232	189	196	167	97	30	14	4	4	40	4174
Total	1649	543	149	108	90	217	127	120	204	194	205	284	290	318	287	230	306	260	261	216	116	38	14	4	5	49	6284
Females—																											
Sydney	312	109	36	18	17	27	23	34	39	39	39	49	51	38	38	39	43	33	30	26	16	5	2	1	1	3	1068
Suburbs	295	109	30	8	12	24	14	19	32	22	20	20	27	33	25	24	23	24	21	4	4	3	1	794
Country Districts	870	325	96	56	52	105	71	92	83	97	82	88	83	68	57	62	75	74	51	51	40	21	7	5	1	5	2617
Total	1477	543	162	82	81	156	08	145	154	158	141	157	161	139	120	125	141	131	102	81	60	29	10	6	2	8	4479

The tables which now follow show the percentage which deaths from each specified disease bear to the total number of deaths registered in Sydney, Suburbs, and Country Districts respectively, and the number of deaths in each of these divisions from the diseases named, distinguishing the deaths under 5 years of age.

	Sydney.	Suburbs.	Country Districts.		Sydney.	Suburbs.	Country Districts.
Scarlatina	0·13	0·06	0·18	Insanity	0·09	0·69
Diphtheria	0·73	1·63	3·07	Epilepsy	0·73	0·66	0·38
Croup	1·46	2·97	2·49	Convulsions	4·99	5·45	6·34
Whooping-cough	3·96	4·66	1·90	Brain disease, &c.	1·98	1·81	1·59
Typhoid and infantile fever.....	4·43	4·05	3·99	Aneurism	0·43	0·30	0·48
Erysipelas	0·17	0·48	0·19	Heart disease.....	4·39	3·75	4·56
Metria	0·09	0·12	0·20	Bronchitis	4·05	4·24	3·96
Influenza	0·23	Pleurisy	0·43	0·36	0·17
Dysentery	1·50	1·69	1·40	Pneumonia	3·06	3·39	3·43
Diarrhoea	6·33	8·60	5·06	Congestion of lungs	1·33	1·15	0·04
Cholera	0·77	0·66	0·61	Asthma	0·21	0·18	0·37
Remittent fever.....	0·12	0·47	Lung disease, &c.	0·17	1·09	1·79
Rheumatism	0·56	0·42	0·41	Gastritis	0·94	1·21	0·64
Syphilis	0·38	0·18	0·09	Enteritis	2·54	3·57	1·88
Privation	0·24	0·73	Peritonitis	0·30	0·36	0·38
Want of breast milk.....	1·03	1·51	0·60	Hepatitis	1·33	0·84	0·42
Alcoholism	1·68	0·18	0·81	Liver disease, &c.	0·99	1·81	1·44
Thrush	0·26	0·36	0·41	Nephritis	0·13	0·18	0·10
Dropsy	1·20	1·15	1·23	Nephria	1·68	0·90	0·26
Cancer	1·76	1·27	1·90	Kidney disease	0·77	0·36	0·37
Tumour	0·47	Premature birth	2·45	1·69	2·50
Serofula	0·34	0·42	0·26	Teething	1·29	2·24	3·66
Tabes Mesenterica	2·62	1·87	1·23	Childbirth (See metria)	0·56	0·54	0·92
Phthisis	7·58	7·93	4·95	Old age	3·36	2·42	7·61
Hydrocephalus	0·47	0·24	0·18	Atrophy and debility	5·26	8·36	4·12
Cephalitis	2·24	2·12	1·31	Fractures and contusions.....	2·19	0·90	2·99
Apoplexy	2·45	1·69	1·50	Burns and scalds	0·69	0·36	0·98
Paralysis.....	0·86	1·21	1·37	Drowning	0·17	1·15	2·90

ZYMOTIC DISEASES.	Sydney.		Suburbs.		Country.	
	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths under 5 years.
Measles.....	1	1
Scarlatina	3	2	1	1	19	11
Diphtheria	17	11	27	18	209	120
Croup	34	29	49	42	169	140
Whooping-cough	92	91	77	77	198	186
Typhoid and infantile fever	103	22	67	15	271	67
Erysipelas.....	4	1	8	4	20	9
Influenza	16	8
Metria	1	2	14
Dysentery.....	35	8	28	13	164	82
Diarrhoea	147	105	142	122	344	293
Cholera	18	12	11	8	42	30
Remittent fever	2	2	32	24
Rheumatism.....	13	7	28	5
Syphilis.....	9	6	3	3	7	4
Privation	4	50
Want of breast milk	24	24	25	25	41	41
Alcoholism	39	3	55
Thrush	6	6	6	6	28	28

CONSTITUTIONAL DISEASES.	Sydney.		Suburbs.		Country.	
	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths under 5 years.	No. of Deaths.	Deaths under 5 years.
Dropsy	28	3	19	1	84	3
Cancer	41	21	129
Tumour	11	1
Scrofula	8	5	7	7	18	9
Tabes mesenterica	61	61	31	31	84	84
Phthisis	176	1	131	6	336	4
Hydrocephalus.....	11	10	4	4	19	19
LOCAL DISEASES.						
Cephalitis.....	52	46	35	26	89	66
Apoplexy	57	28	102	8
Paralysis	20	20	93	1
Insanity	2	47
Epilepsy	17	1	11	1	26	1
Convulsions	116	112	90	90	431	431
Brain disease, &c.	46	4	30	5	115	26
Aneurism	10	5	1	33	2
Heart disease	102	9	62	3	310	6
Bronchitis.....	94	58	70	44	269	158
Pleurisy	10	2	6	1	12	1
Pneumonia	71	22	56	27	233	81
Congestion of lungs	31	21	19	15	3	2
Asthma	5	3	25
Lung disease, &c.....	4	18	7	122	32
Gastritis	22	20	20	17	44	33
Enteritis	59	36	59	46	128	60
Peritonitis.....	7	6	1	26	3
Hepatitis	31	1	14	6	29	3
Liver disease, &c.....	23	2	30	1	98	5
Nephritis	3	3	1	8	1
Nephria	39	1	15	2	18	1
Kidney disease.....	18	1	6	1	1	25
DEVELOPMENTAL DISEASES.						
Premature birth	57	57	28	28	170	170
Teething	30	30	37	37	249	249
Childbirth (see metria)	13	9	63
Old age.....	78	40	517
Atrophy	123	123	138	138	280	280

The last table (L) in this Report shows the average number of deaths registered in Sydney in each month of the year for the last ten years. Also the mean temperature, the mean height of barometer, and mean amount of ozone. The mean quantity of rain, and the average number of days on which rain fell, will also be found. The four warmest months of the year are December, January, February, and March; the mean temperature ranging from 71·8 to 69·4. The months of December and January head the list with the highest rate of mortality. February, March, April, and May are the months which have supplied the greatest rainfall, the number of inches being 6·87, 5·98, 5·75, and 8·10 respectively.

(L.)

Period.	No. of Deaths.	Mean Temperature.	Mean Height of Barometer.	Rain.		Mean amount of Ozone.
				Depth.	Days.	
January... ..	210	71·8	29·936	3·40	13	5·0
February... ..	162	71·0	30·002	6·87	16	5·2
March... ..	160	69·4	30·081	5·98	16	5·2
April... ..	154	64·8	30·105	5·75	13	5·6
May... ..	163	58·6	30·084	8·10	15	5·6
June... ..	150	54·5	30·111	4·85	10	5·5
July... ..	157	52·6	30·157	4·72	12	5·8
August... ..	158	55·1	30·102	1·93	9	5·7
September... ..	142	58·4	30·084	2·66	12	5·9
October... ..	145	63·3	30·028	3·54	15	5·7
November... ..	171	66·8	29·940	3·96	13	5·5
December... ..	204	70·5	29·922	2·74	12	5·3
Mean of 12 months	164	63·0	30·046	4·54	13	5·5

I have the honor to be,
Sir,
Your obedient Servant,
EDWD. GRANT WARD,
Registrar General.

INDEX TO TABLES.

	PAGE.
Births—	
Quarterly Abstract (1878)	4
" " (1869 to 1878)	7
Children out of Wedlock... ..	8
Triplets and Twins	8
In the Colony	16
In each District	16
In each Ward of the City, in proportion to Deaths, &c.	10
In each Suburban District	11
At Sea, registered in the Colony... ..	59
In each Ward of the City	10
Deaths—	
Quarterly Abstract (1878)	4
" " (1869 to 1878)	9
In the Colony	16
In each District	16
In each Ward of the City, in proportion to Births, &c.	11
In each Suburban District	11
Infants (1869 to 1878)	10
Males, at Ages, New South Wales, with Diseases and Ages	19
" " City of Sydney, " "	28
" " Suburban Districts, " "	37
" " Country Districts, " "	46
Females " New South Wales, " "	22
" " City of Sydney, " "	31
" " Suburban Districts, " "	40
" " Country Districts, " "	49
Both Sexes " New South Wales, " "	25
" " City of Sydney, " "	34
" " Suburban Districts, " "	43
" " Country Districts, " "	52
From each cause, in the City of Sydney	56
Monthly Mortality	55
At Sea, registered in the Colony... ..	59
Mortality, Temperature, &c.	15
Diseases classified (1869, 1870, 1871, 1872, 1873, 1874, 1875, 1876, 1877, and 1878, compared)	13
In each Ward of the City	10
Deaths from all Ages (1 to 100 years)	13
Marriages—	
Quarterly Abstract (1878)	4
" " (1869 to 1878)	6
In the Colony	16
In each District	16
Denominations (1878)	18
" (1869 to 1878)	5
Registration Districts and District Registrars	60
Temperature, Height of Barometer, Rain, &c. (1869 to 1878)	14

APPENDIX.

A.

TABLE showing the number of MARRIAGES, BIRTHS, and DEATHS registered in the Colony of New South Wales, during the year ended 31st December, 1878.

	Marriages.	Births.			Deaths.		
		Males.	Females.	Total.	Males.	Females.	Total.
Sydney.....	1,418	1,764	1,720	3,484	1,253	1,068	2,321
Suburban Districts	632	1,848	1,826	3,674	857	794	1,651
Metropolitan	2,050	3,612	3,546	7,158	2,110	1,862	3,972
Country Districts	3,267	9,470	8,700	18,170	4,174	2,617	6,791
	5,317	13,082	12,246	25,328	6,284	4,479	10,763

B.

TABLE showing the MARRIAGES, BIRTHS, and DEATHS registered in each District of the Colony of New South Wales, during the year ended 31st December, 1878.

District.	Popula- tion, Census 1871.	Mar- riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.	
					M.	F.	M.	F.			
I.—NORTH-EASTERN.											
1. Richmond River	4,528	42	265	52	132	133	5	4	33	19	213
Lismore	16	4	12	4	2	2	12
2. Tweed River	449	2	16	6	8	8	5	1	10
3. Grafton	8,965	85	432	110	230	202	4	2	61	49	322
Macleay		28	116	29	64	52	1	...	26	3	87
4. Macleay River.....	4,975	32	185	48	96	89	1	5	29	19	137
Bellingera		3	32	3	18	14	1	1	2	1	29
Nambucca	23	5	10	13	5	...	18
5. Port Macquarie	2,131	13	85	19	40	45	...	2	14	5	66
6. Manning River	5,171	42	196	53	96	100	1	...	29	24	143
7. Port Stephens	2,659	19	143	41	76	67	1	4	25	16	102
8. Dungog.....	1,950	14	78	17	35	43	2	...	11	6	61
9. Clarence Town	1,000	6	34	6	18	16	...	2	5	1	28
10. Paterson	2,561	17	87	25	50	37	...	2	18	7	62
11. Raymond Terrace	3,015	13	111	43	51	60	1	...	16	27	68
12. Maitland	13,670	136	444	185	232	212	10	9	109	76	259
Greta		2	59	23	37	22	11	12	36
13. Morpeth	3,289	23	111	41	60	51	...	2	30	11	70
14. Patrick's Plains	6,699	41	272	93	138	134	8	4	45	48	79
15. Muswellbrook	3,616	28	96	44	57	39	1	1	23	21	52
16. Scone.....	3,793	20	150	50	81	69	3	2	30	20	100
17. Murrurundi	4,143	41	217	131	117	100	4	4	72	59	186
Total	72,614	607	3,168	1,028	1,658	1,510	43	44	601	427	2,140
II.—NORTH MIDLAND.											
1. Tenterfield	2,349	38	156	23	91	65	1	...	16	7	133
2. Wellingrove.....	2,648	28	123	28	71	52	1	2	22	6	95
Vegetable Creek.....		2	58	15	33	25	...	1	9	6	43
3. Inverell.....	2,366	39	230	53	112	118	7	5	30	23	177
4. Armidale	9,706	79	441	108	216	225	11	7	54	54	333
Walcha.....		14	66	17	33	33	1	2	7	10	49
Total	17,069	200	1,074	244	556	518	21	17	138	106	830

B—continued.

District.	Popula- tion, Census 1871.	Mar- riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.	
					M.	F.	M.	F.			
III.—NORTH-WESTERN.											
1. Tamworth.....	6,806	{ 67	368	117	187	181	8	6	59	58	251
Gunnedah.....		{ 24	129	63	65	64	5	6	33	30	66
2. Nundle.....	2,068	5	51	15	33	18	1	1	10	5	36
3. Warialda.....	3,656	41	215	45	109	106	10	5	22	23	170
4. Cassilis.....	2,838	10	78	34	45	33	1	1	21	13	44
5. Dubbo.....	4,289	50	258	123	134	124	6	4	72	51	135
6. Coonabarrabran.....	2,219	{ 11	100	36	54	46	2	3	23	13	64
Coonamble.....		{ 17	64	48	33	31	2	...	31	17	16
7. Molong.....	3,167	26	242	77	135	107	8	5	52	25	165
8. Forbes.....	6,709	{ 44	170	95	88	82	4	2	64	31	75
Condobolin.....		{ ...	11	4	2	9	3	1	7
Parkes.....		{ 22	115	77	57	58	4	3	48	29	38
9. Walgett.....	1,445	5	44	47	20	24	1	...	40	7
10. Narrabri.....	1,699	23	127	64	69	58	7	3	44	20	63
Total	34,896	345	1,972	845	1,031	941	59	39	522	323	1,130
IV.—METROPOLITAN.											
1. City of Sydney	76,159	1,418	3,484	2,321	1,764	1,720	165	152	1,253	1,068	1,163
2. Balmain.....	6,886	71	514	216	255	259	6	7	101	115	298
3. Glebe.....	5,721	52	332	163	170	162	4	4	97	66	169
4. Newtown.....	7,922	103	523	257	270	253	14	9	136	121	266
5. Redfern.....	8,092	31	505	217	254	251	6	12	112	105	288
6. Waterloo.....	6,306	57	395	186	207	188	8	3	96	90	209
7. Paddington.....	11,411	{ 151	477	198	246	231	4	7	103	95	279
Randwick.....		{ 5	42	23	13	29	...	2	13	10	19
Waverley.....		{ 24	61	29	27	34	3	1	21	8	32
Woollahra.....		{ 2	13	1	5	8	...	1	1	...	12
8. Concord.....	3,520	42	198	120	92	106	3	4	53	67	78
9. St. George.....	5,340	54	325	124	174	151	4	1	62	62	201
10. St. Leonards.....	5,126	{ 37	252	107	114	138	1	3	57	50	145
Manly.....		{ 3	37	10	21	16	1	...	5	5	27
Total	136,483	2,050	7,158	3,972	3,612	3,546	219	206	2,110	1,862	3,186
V.—EAST MIDLAND.											
1. Newcastle.....	18,667	{ 178	820	329	447	373	183	146	491
Lambton.....		{ 32	275	105	142	133	3	3	54	51	170
Wallsend.....		{ 35	304	83	162	142	3	2	45	38	221
2. Wollombi.....	1,952	18	62	24	35	27	8	16	38
3. McDonald River.....	625	1	27	5	14	13	3	2	22
4. Brisbane Water.....	2,607	17	100	20	56	44	...	1	12	8	80
5. Windsor.....	4,963	28	169	87	96	73	2	6	54	33	82
6. Richmond.....	3,083	17	130	55	63	67	2	7	24	31	75
7. Penrith.....	5,321	32	193	62	103	90	4	2	31	31	131
8. Parramatta.....	11,551	85	419	320	235	184	10	8	227	93	99
9. Ryde.....	2,886	18	112	85	56	56	6	1	59	26	27
10. Liverpool.....	3,493	23	109	198	67	42	3	2	183	15	...
11. Campbelltown.....	1,870	13	53	32	26	27	1	1	19	13	21
12. Camden.....	4,032	32	120	42	56	64	...	3	26	16	78
13. Picton.....	2,208	9	72	32	38	34	2	...	17	15	40
Total	63,258	538	2,965	1,479	1,596	1,369	36	36	945	534	1,575
VI.—WEST MIDLAND.											
1. Carcoar.....	6,411	36	326	91	170	156	8	5	49	42	235
2. Cowra.....	1,391	16	116	39	59	57	2	2	25	14	77
3. Hartley.....	5,165	26	231	66	121	110	1	4	43	23	165
4. Bathurst.....	16,860	158	745	298	393	352	13	17	180	118	447
5. Sofala.....	2,821	9	78	25	42	36	1	...	12	13	53
6. Orange.....	7,586	100	510	200	271	239	12	7	106	94	310
7. Wellington.....	3,354	30	247	108	129	118	7	5	69	39	139
8. Tambaroora.....	3,265	{ 1	29	6	13	16	1	...	3	3	23
Hill End.....		{ 10	96	35	51	45	2	1	20	15	61
9. Mudgee.....	11,901	{ 66	371	149	194	177	7	5	94	55	222
Gulgong.....		{ 25	177	74	95	82	5	5	45	29	103
10. Rylstone.....	2,133	22	101	32	56	45	5	2	20	12	69
Total	60,887	499	3,027	1,123	1,594	1,433	64	53	666	457	1,904
VII.—SOUTH-EASTERN.											
1. Wollongong.....	5,699	48	233	97	114	119	2	2	53	44	136
2. Kiama.....	5,750	17	185	65	100	85	3	...	37	28	120
3. Berrima.....	4,529	{ 21	138	49	59	79	2	1	22	27	89
Burrawang.....		{ 6	69	12	29	40	6	6	57
4. Shoalhaven.....	4,724	32	238	59	125	113	36	23	179
5. Ulladulla.....	1,652	5	71	17	39	32	1	...	12	5	54
6. Broulee.....	3,739	25	134	52	76	58	5	...	30	22	82
7. Eden.....	1,212	7	44	11	19	25	...	1	5	6	33
8. Bega.....	2,651	23	214	27	118	96	4	1	13	14	187
Total	29,956	184	1,326	389	679	647	17	5	214	175	937

B—continued.

District.	Popula- tion, Census 1871.	Mar- riages.	Total.		Births.				Deaths.		Excess of Births over Deaths.	
			Births.	Deaths.	Including Illegitimate Births.		Illegitimate Births.		M.	F.		
					M.	F.	M.	F.				
VIII.—SOUTH MIDLAND.												
1. Braidwood	11,422	25	267	44	142	125	6	7	28	16	223	
2. Cooma	4,383	48	274	42	144	130	1	1	25	17	232	
3. Bombala	2,854	30	175	42	85	90	4	2	22	20	133	
4. Goulburn	13,756	132	625	184	315	310	12	9	101	83	441	
5. Albury	9,190	103	508	158	261	247	5	10	106	52	350	
6. Gundagai	4,699	{	41	230	91	129	101	4	4	63	28	139
Adelong.....			11	125	32	56	69	1	1	15	17	93
Cootamundra			4	38	7	12	26	1	1	2	5	31
7. Tumut	3,321	25	115	27	58	57	2	2	18	9	88	
8. Yass	6,600	{	34	172	81	96	76	2	5	45	36	91
Gunning			16	96	26	52	44	2	1	21	5	70
9. Queanbeyan	4,675	39	188	58	83	105	3	6	32	26	130	
10. Burrowa	3,865	{	33	160	41	80	80	1	2	26	15	119
Grenfell.....			19	118	52	60	58	2	2	29	23	66
11. Young	5,924	{	42	243	106	131	112	5	5	70	36	137
Murrumburrah			7	87	28	51	36	3	4	15	13	59
TOTAL	70,689	609	3,421	1,019	1,755	1,666	54	62	618	401	2,402	
IX.—SOUTH-WESTERN.												
1. Deniliquin.....	2,714	61	196	113	90	106	6	3	77	36	83	
2. Moama	901	4	74	23	38	36	3	1	12	11	51	
3. Moulamein	557	3	13	4	8	5	4	...	9	
4. Balranald	591	12	42	25	22	20	...	1	17	8	17	
5. Bourke	1,508	28	130	117	63	67	2	4	77	40	13	
6. Hay	3,455	{	60	225	129	102	123	3	11	99	30	96
Hillston.....			3	13	5	4	9	...	1	5	...	8
7. Wentworth	1,200	21	54	27	27	27	20	7	27	
8. Wilcannia.....	1,210	{	18	69	61	35	34	3	2	51	10	8
Menindie	7	2	5	2	1	1	5
9. Wagga Wagga	5,993	{	73	374	149	198	176	6	10	101	48	225
Narrandera			1	15	7	8	7	5	2	8
Urana			1	5	2	1	4	1	1	3
TOTAL	18,129	285	1,217	664	601	616	23	33	470	194	553	
GRAND TOTAL	503,981	5,317	25,328	10,763	13,082	12,246	536	485	6,284	4,479	14,657	

The deaths in the Districts of Walgett and Liverpool exceed the births by 92, which will reduce the excess of births over deaths to 14,565.

C.
MARRIAGES—1878.

Denominations.	Sydney.				Suburban Districts.				Country Districts.				Total.			
	Mar- riages.	Marks.			Mar- riages.	Marks.			Mar- riages.	Marks.			Mar- riages.	Marks.		
		M.	F.	Total.		M.	F.	Total.		M.	F.	Total.		M.	F.	Total.
Church of England ...	608	31	37	68	170	8	5	13	1,320	124	116	240	2,098	163	158	321
Roman Catholic	221	19	37	56	91	6	11	17	697	98	105	203	1,009	123	153	276
Presbyterian	267	17	23	40	148	9	8	17	406	27	31	58	821	53	62	115
Wesleyan	51	3	2	5	84	1	3	4	421	28	24	52	556	32	29	61
Primitive Methodist ...	15	1	...	1	11	63	4	3	7	94	5	3	8
Congregationalist	137	11	15	26	78	...	1	1	76	2	3	5	291	13	19	32
Baptist	37	6	46	3	2	5	89	3	2	5
Hebrew	19	1	20
German Evangelical ...	1	2	8	11
Christians	5	...	2	2	5	1	11	...	2	2
Protestant Episcopal	7	1	1	2	7	1	1	2
Unitarian	1	1
Registrars' Offices	56	2	3	5	37	2	4	6	216	13	17	30	309	17	24	41
	1,418	84	119	203	632	26	32	58	3,267	300	302	602	5,317	410	453	863

D 1.

DEATHS from all causes of MALES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1878.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1.																						
1. Small-pox
1a. Chicken-pox
2. Measles
3. Scarlatina	3	1	1	...	1	1	7
3a. Diphtheria	11	11	12	15	19	33	7	2	3	2	1	1	1	118
4. Quinsy	1	2	...	1	1	1	6
5. Croup	18	29	35	15	19	21	137
6. Whooping-cough	100	36	12	5	5	5	163
7. Typhoid and Infantile Fever.	21	11	3	11	5	25	13	20	29	19	12	15	10	7	7	4	4	4	3	...	2	225
8. Erysipelas	7	1	1	3	3	2	...	1	18
9. Metria
10. Carbuncle	1	1
11. Influenza	3	1	2	1	3	10
12. Dysentery	31	22	6	...	1	5	3	4	4	5	5	8	3	4	3	8	3	6	5	12	...	138
13. Diarrhœa	181	69	4	5	3	3	...	1	3	1	3	3	2	2	4	4	6	3	10	11	3	321
14. Cholera	16	5	1	1	1	...	1	1	3	1	...	2	1	33
15. Ague	1	1	...	1	...	1	3
16. Remittent Fever	7	3	2	1	1	...	2	1	...	1	1	1	1	20
17. Rheumatism	2	2	...	3	2	2	1	1	...	1	...	2	1	3	2	2	1	...	25
18. Pyæmia	1	1	1	1	4
19. Parotitis	1	1
	396	193	76	55	55	96	28	30	42	28	24	28	22	19	20	20	22	21	25	25	5	1,230
ORDER 2.																						
1. Syphilis	7	1	1	1	1	1	1	...	13
2. Stricture of the Urethra	1	1	1	...	1	...	4
3. Hydrophobia
4. Glanders
	7	1	1	1	2	2	1	...	2	...	17
ORDER 3.																						
1. Privation	3	1	2	...	3	4	2	5	4	9	8	1	1	1	...	3	47
2. Want of Breast Milk...	48	4	52
3. Purpura and Scurvy	1	1	2
4. Alcoholism—
a. Del. Tremens	1	3	2	3	5	5	3	1	23
b. Intemperance	3	4	9	8	6	8	4	7	7	1	2	59
5. Rickets	1	1
	49	4	3	1	2	1	9	10	14	18	15	21	12	8	10	2	...	5	184
ORDER 4.																						
1. Thrush	23	1	24
2. Worms, &c.	1	1	...	1	1	4
2a. Hydatid
	23	1	1	1	...	1	1	28
Total, Class I.....	475	198	76	56	55	99	29	32	44	38	34	44	42	36	41	32	32	32	27	27	10	1,459
CLASS II.—ORDER I.																						
1. Gout	1	1	1	...	2	2	7
2. Dropsy	1	1	1	1	1	1	...	1	...	5	2	7	6	7	7	10	6	11	1	69
3. Cancer	2	...	2	1	1	4	6	5	10	14	12	20	9	7	7	...	100
3a. Tumour	1	1	1	1	1	5
3b. Polypus
4. Noma
5. Mortification	2	1	2	...	1	2	1	2	11
	1	1	1	3	1	4	3	3	5	12	9	18	22	22	31	22	13	20	1	192
ORDER 2.																						
1. Scrofula	8	1	...	2	1	1	1	1	...	2	2	1	1	1	...	22
2. Tabes Mesenterica	47	39	2	3	1	20	14	6	92
3. Phthisis	2	2	1	3	3	18	45	58	42	45	50	41	30	1	1	...	1	1	1	382
3a. Hæmoptysis	1	1	2	1	...	1	1	9
4. Hydrocephalus	8	7	2	1	...	1	19
5. Abscess	1	1	1	2	1	1	7
	65	50	4	6	3	6	5	21	47	60	44	46	52	42	32	23	15	7	...	2	1	531
Total, Class II.....	66	51	5	6	3	9	6	25	50	63	49	58	61	60	54	45	46	29	13	22	2	723

D 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III—ORDER 1.																						
1. Cephalitis	34	17	9	3	...	3	5	1	2	4	2	1	1	1	83
2. Apoplexy	3	1	1	...	2	3	3	4	9	10	11	7	15	16	10	10	5	...	110
3. Paralysis	1	...	1	3	1	1	8	3	5	4	4	16	8	11	18	...	84
4. Insanity	1	1	1	2	4	9	3	4	1	4	5	...	1	1	37
5. Chorea
6. Epilepsy	1	1	2	1	...	2	2	1	4	2	6	2	3	3	3	...	3	1	37
7. Convulsions	280	49	9	3	1	1	343
8. Brain Disease, &c.	23	7	1	1	...	6	7	5	5	5	9	10	11	11	9	5	11	5	3	1	...	135
	341	74	19	7	2	15	13	8	14	13	19	39	37	36	26	29	51	32	24	28	2	829
ORDER 2.																						
1. Pericarditis	2	...	2	...	1	...	2	...	1	1	1	1	...	11
2. Aneurism	1	1	2	3	2	6	7	9	5	3	1	1	41
3. Heart Disease, &c.	7	1	1	1	4	6	11	3	6	5	16	16	31	32	39	33	20	34	31	19	2	318
	8	1	1	1	4	8	11	5	7	8	19	20	37	40	49	39	23	35	32	20	2	370
ORDER 3.																						
1. Laryngitis	4	2	1	2	1	2	1	...	2	1	1	2	...	1	1	...	1	22
2. Bronchitis	80	25	14	13	4	7	2	...	1	1	1	5	4	7	5	9	15	11	11	16	...	231
3. Pleurisy	1	1	...	1	1	2	...	2	2	1	6	...	1	2	1	1	...	22
4. Pneumonia	34	13	5	5	...	2	3	9	11	9	14	15	8	14	18	9	12	3	10	4	1	199
4a Congestion of the Lungs—Pulmonary.	13	4	1	1	1	1	4	...	2	27
5. Asthma	1	2	1	1	3	1	3	5	18
6. Lung Disease, &c.	18	9	3	1	3	9	4	3	4	5	2	5	11	14	5	7	15	4	3	1	...	126
	150	53	24	23	9	21	10	12	19	18	18	30	27	43	37	28	45	21	29	27	1	645
ORDER 4.																						
1. Gastritis	22	15	1	3	1	1	1	44
2. Enteritis	59	10	2	3	2	5	3	6	2	3	2	4	3	2	2	1	6	6	3	2	...	126
3. Peritonitis	1	1	4	1	1	1	2	2	2	2	1	18
4. Ascites	3	1	1	1	1	2	1	...	10
5. Ulceration of Intestines	1	1
6. Hernia	3	2	2	1	1	...	1	2	1	13
7. Ileus	4	1	1	2	1	1	1	...	2	1	14
8. Intussusception	1	1	1	1	4
9. Stricture of Intestines..	1	1	1	1	1	1	1	3	1	4	...	15
10. Fistula	1	1
11. Stomach Disease, &c....	6	2	2	...	1	...	1	2	3	4	1	1	1	1	...	25
12. Pancreas Disease, &c. ...	1	1	2
13. Hepatitis	1	1	1	2	2	...	5	7	5	4	4	4	4	1	4	1	...	42
14. Jaundice	7	1	1	1	1	1	2	1	2	3	2	2	...	23
15. Liver Disease, &c.	2	...	1	2	...	1	1	3	...	2	3	9	13	10	6	10	9	5	3	1	81
16. Spleen Disease, &c.	1	1	1	3
	108	32	2	5	7	11	12	9	11	7	11	19	27	30	24	18	25	27	22	14	1	422
ORDER 5.																						
1. Nephritis	1	1	1	...	3	6
2. Ischuria	1	...	1	...	1	1	4
3. Nephria	3	1	1	...	2	2	5	8	6	5	6	2	2	3	1	47
4. Diabetes	1	1	1	1	...	1	...	6
5. Stone	1	1	1	2	2	1	1	1	10
6. Cystitis	1	1	1	1	1	...	3	5	7	2	3	...	25
7. Kidney Disease, &c.	1	1	1	2	1	3	4	4	3	3	4	4	4	3	...	38
	3	1	4	...	1	1	2	1	3	4	6	13	13	15	13	10	14	16	7	7	2	136
ORDER 7.																						
1. Arthritis	2	2
1a Ostitis, Periostitis, &c.	1	1
2. Joint Disease, &c.	2	...	1	...	1	1	2	1	8
	2	3	...	1	...	1	1	2	1	11
ORDER 8.																						
1. Phlegmon
2. Ulcer	1	1	2
3. Skin Disease, &c.	4	1	1	6
	4	1	1	1	1	8
Total, Class III.....	614	162	50	36	23	58	51	35	56	50	74	121	141	166	151	125	158	131	115	96	8	2,421

D 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature birth	124	124
2. Cyanosis	6	6
3. Spina Bifida	4	4
4. Other Malformations ...	8	8
5. Teething	98	76	1	175
	240	76	1	317
ORDER 3.																						
1. Old Age	1	1	40	53	97	235	1	428
ORDER 4.																						
1. Atrophy and Debility ...	230	29	1	1	261
Total, Class IV	470	105	2	1	1	1	40	53	97	235	1	1,006
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures and Contusions	1	1	1	...	2	20	19	14	18	19	23	29	18	18	19	12	8	5	2	6	4	239
2. Wounds { <i>a</i> Gunshot	1	1	1	3	3	1	1	1	1	1	...	1	1	...	1	17
{ <i>b</i> Cuts	2	2	1	...	1	1	2	3	1	13
3. Burns and Scalds	5	9	7	5	3	2	1	2	...	1	1	...	4	1	41
3 <i>a</i> . Sunstroke	2	1	...	4	1	3	...	2	1	1	15
4. Poison	1	1	1	3	3	3	3	4	1	3	1	21
4 <i>a</i> . Bite of Snake or Insect	1	1
5. Drowning	2	15	4	4	1	22	17	10	19	16	13	13	9	13	9	6	7	...	3	...	8	191
6. Suffocation	10	2	3	1	...	1	...	1	2	3	1	1	1	...	4	...	1	...	1	32
7. Otherwise	1	1	...	1	1	4
	20	27	16	9	6	49	40	28	47	40	42	50	37	41	34	22	23	11	7	10	15	574
ORDER 2.																						
VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise

ORDER 3.—HOMICIDE.																						
Murder and Manslaughter	3	1	...	1	2	1	1	2	1	...	1	...	1	14
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot	1	3	1	...	1	2	...	8
{ Cut, Stab, &c.	1	1	2	...	1	5
2. Poison	1	...	1	1	2
3. Drowning	1	2	...	1	...	1	...	2	1	1	...	9
4. Hanging	1	1
5. Otherwise
	1	...	2	3	2	4	1	3	2	3	1	3	25
ORDER 5.—EXECUTION.																						
1. Hanging	1	1
Violent Deaths (not classed)	1	2	1	1	3	2	3	2	...	2	17
Total, Class V	24	27	16	9	6	49	41	28	51	43	46	58	43	48	37	25	28	14	9	13	16	631
Sudden Deaths (cause unascertained.)
Causes not specified or ill- defined.	3	2	3	...	2	3	3	8	3	2	2	1	12	44
GRAND TOTALS	1,649	543	149	108	90	217	127	120	204	194	205	284	290	318	287	230	306	260	261	393	49	6,284

D 2.

DEATHS from all causes, of FEMALES, at different ages, registered in NEW SOUTH WALES, from 1st January to 31st December, 1878.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.																						
1. Small-pox
1a. Chicken-pox	1
2. Measles	1
3. Scarlatina	1	4	...	2	2	4	3	16
3a. Diphtheria	13	16	26	15	11	27	17	2	2	1	1	...	1	1	...	1	1	...	135
4. Quinsy	1	1	...	1	...	1	4
5. Croup	12	30	19	16	18	18	2	115
6. Whooping-cough	110	56	16	8	6	5	2	...	1	204
7. Typhoid (and Infantile Fever).	20	12	11	4	6	24	22	33	29	19	10	7	5	5	2	3	1	1	...	1	1	216
8. Erysipelas	5	1	1	1	1	1	1	...	2	1	...	14
9. Metria	7	6	4	...	1	18
10. Carbuncle
11. Influenza	3	1	...	1	1	6
12. Dysentery	23	11	5	2	2	7	2	2	2	1	4	2	3	1	1	5	5	4	4	3	...	89
13. Diarrhoea	179	67	8	2	2	2	4	1	...	3	3	2	4	4	1	...	8	9	4	9	...	312
14. Cholera	15	10	2	...	1	2	...	1	2	...	2	...	1	1	1	38
15. Ague
16. Remittent Fever	3	9	1	1	14
17. Rheumatism	1	4	3	3	1	...	2	1	1	2	1	3	1	23
18. Pyæmia	1	...	1	1	3
	384	219	92	50	49	90	58	42	44	32	23	16	15	16	7	11	21	15	8	15	2	1,209
ORDER 2.																						
1. Syphilis	5	1	6
2. Stricture of the Urethra
3. Hydrophobia
4. Glanders
	5	1	6
ORDER 3.																						
1. Privation	2	1	...	1	1	...	1	1	7
2. Want of Breast Milk	37	1	38
3. Purpura and Scurvy	1	1
4. Alcoholism—
a. Del. Tremens	1	...	1	2
b. Intemperance	2	...	3	...	1	1	2	1	2	...	1	13
	37	2	2	...	5	2	1	3	3	1	3	1	1	61
ORDER 4.																						
1. Thrush	14	2	16
2. Worms, &c.
2a. Hydatid	1	2	2	5
	14	2	1	2	2	21
Total, Class I. ...	440	223	92	50	50	90	58	42	46	35	28	18	18	19	10	12	24	16	9	15	2	1,297
CLASS II.—ORDER 1.																						
1. Gout	1	1	2
2. Dropsy	1	1	1	...	1	2	5	2	1	6	8	5	3	7	7	5	6	1	...	62
3. Cancer	1	...	1	3	3	8	13	10	14	13	10	10	3	2	...	91
3a. Tumour	1	3	1	...	1	1	7
3b. Polypus
4. Noma	1	1	1	3
5. Mortification	1	1	1	1	1	2	1	8
	1	2	2	...	1	4	1	...	8	5	4	15	21	19	20	21	20	17	9	3	...	173
ORDER 2.																						
1. Scrofula	7	...	1	1	1	1	11
2. Tabes Mesenterica	57	23	3	1	84
3. Phthisis	3	2	1	1	...	4	3	28	35	37	39	27	24	21	13	12	8	2	1	261
3a. Hemoptysis
4. Hydrocephalus	8	5	1	1	15
5. Abscess	2	1	3
	77	30	6	4	...	4	4	28	35	37	40	27	24	21	13	13	8	2	1	374
Total, Class II ...	78	32	8	4	1	8	5	28	43	42	44	42	45	40	33	34	28	19	10	3	...	547

D 2—continued.

CAUSE OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III—ORDER 1.																						
1. Cephalitis	41	22	7	2	3	5	3	4	1	1	1	1	1	1	93
2. Apoplexy	2	...	2	2	3	6	4	9	4	10	8	6	8	6	6	1	77
3. Paralysis	1	2	...	1	1	1	4	2	1	2	2	7	11	5	9	...	49
4. Insanity	1	1	1	1	2	1	2	2	1	...	12
5. Chorea
6. Epilepsy	1	1	1	1	2	...	2	4	2	...	1	1	...	17
7. Convulsions	219	59	11	2	...	3	1	294
8. Brain Disease, &c.	1	1	...	1	...	1	2	5	4	6	4	2	1	8	2	4	6	4	2	2	...	56
	263	83	20	5	4	10	8	11	11	14	16	16	16	15	16	17	21	23	13	19	2	598
ORDER 2.																						
1. Pericarditis	1	1	1	2	5
2. Aneurism	1	...	1	1	1	...	1	...	1	1	7
3. Heart Disease, &c.	2	1	...	1	4	7	11	9	8	13	9	18	16	12	12	10	11	5	7	...	156
	1	2	2	...	1	4	7	12	10	8	13	10	19	17	15	12	11	12	5	7	...	168
ORDER 3.																						
1. Laryngitis	3	...	2	1	6
2. Bronchitis	75	25	9	7	8	7	3	4	2	3	3	2	2	1	3	6	8	11	8	15	...	202
3. Pleurisy	2	1	...	1	1	...	1	6
4. Pneumonia	35	21	10	2	5	8	4	9	3	6	6	9	10	8	7	7	1	2	2	5	1	161
4a. Congestion of the Lungs—pulmonary.	9	5	4	1	...	3	1	3	26
5. Asthma	2	2	3	3	...	2	1	2	15
6. Lung Disease, &c.	2	2	1	2	...	1	2	...	1	...	3	1	1	1	1	18
	123	53	26	9	16	17	7	15	8	9	11	11	17	12	16	17	14	16	14	22	1	434
ORDER 4.																						
1. Gastritis	23	7	...	2	...	2	1	...	1	2	1	1	...	1	1	42
2. Enteritis	36	25	3	1	1	3	5	7	2	5	2	7	4	2	4	3	4	...	2	120
3. Peritonitis	2	1	1	3	5	3	...	3	...	1	1	1	21
4. Ascites	2	...	1	...	1	5
5. Ulceration of Intestines	1	1	1
6. Hernia	1	1	1	2	5
7. Ileus	2	...	1	1	1	...	1	6
8. Intussusception	2	1	3
9. Stricture of Intestines..	1	2	1	4
10. Fistula
11. Stomach Disease, &c....	6	2	...	2	1	1	...	1	1	14
12. Pancreas Disease, &c....
13. Hepatitis	6	1	2	1	1	1	3	2	6	2	3	1	3	32
14. Jaundice	4	1	1	1	1	...	1	...	1	2	2	14
15. Liver Disease, &c.	1	...	1	1	2	2	1	5	6	4	11	7	9	7	8	2	2	1	...	70
16. Spleen Disease, &c.	1	1	2
	80	35	5	4	1	5	10	15	12	17	12	22	21	23	19	21	17	11	5	4	...	339
ORDER 5.																						
1. Nephritis	1	3	1	1	1	1	8
2. Ischuria	1	1
3. Nephria	1	1	...	1	4	1	4	2	3	1	5	1	1	25
4. Diabetes	1	1	2
5. Stone
6. Cystitis	1	1	1	3
7. Kidney Disease, &c.	1	1	...	1	1	2	...	1	1	1	1	...	1	...	11
	1	...	1	2	2	5	4	1	7	6	5	2	6	3	3	...	2	...	50
ORDER 6.																						
1. Ovarian Dropsy	3	1	1	1
2. Uterus Disease, &c.	2	1	7
	3	1	2	1	1	8
ORDER 7.																						
1. Arthritis
1a. Ostitis Periostitis, &c.
2. Joint Disease, &c.

ORDER 8.																						
1. Phlegmon	1
2. Ulcer	1	2
3. Skin Diseases, &c.	1	1	1	3
	1	1	1	1	...	1	5
Total, Class III...	469	174	54	18	22	36	34	55	47	52	52	69	80	73	68	74	66	65	37	54	3	1,602

D 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth.....	130	130
2. Cyanosis	6	1	7
3. Spina Bifida.....	1	1
4. Other Malformations ...	9	9
5. Teething	72	70	142
	218	71	289
ORDER 2.																						
1. Paramenia	11	9	19	14	18	11	3	1
2. Childbirth (See Metria)	11	9	19	14	18	12	3	85
	11	9	19	14	18	12	3	86
ORDER 3.																						
1. Old Age	22	27	44	114	...	207
ORDER 4.																						
1. Atrophy and Debility...	247	29	3	1	280
Total, Class IV.....	465	100	3	1	11	9	19	14	18	12	3	22	27	44	114	...	862
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	5	1	...	1	1	3	4	...	2	3	...	1	3	2	...	2	2	...	30
2. Wounds { a Gunshot
{ b Cuts.....	1	1
3. Burns and Scalds	2	6	4	6	5	6	4	1	1	3	...	3	...	1	3	...	1	1	1	48
3a. Sunstroke	1	1	1	1	...	1	1	6
4. Poison	1	4	1	1	1	8
4a. Bite of Snake or Insect	1	4	...	1	6
5. Drowning.....	1	5	1	1	...	7	2	4	1	3	1	1	...	1	1	29
6. Suffocation	10	1	...	1	1	13
7. Otherwise.....	1	1
	21	13	5	9	6	21	11	8	8	8	2	7	4	4	5	3	1	2	1	2	1	142
ORDER 2.—VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds
3. Otherwise

ORDER 3.—HOMICIDE. Murder and Manslaughter	4	1	2	1	1	9
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot.....
{ Cut, Stab,&c.
2. Poison
3. Drowning
4. Hanging
5. Otherwise.....

ORDER 5.—EXECUTION.																						
1. Hanging
Violent Deaths (not classified)	1	1	2
Total, Class V	25	14	5	9	6	21	11	8	8	9	2	7	5	4	7	3	1	3	2	2	1	153
Sudden Deaths (cause unascertained)
Causes not specified or ill-defined	2	1	...	1	1	1	1	3	1	...	2	2	...	1	2	18
GRAND TOTALS.....	1,477	543	162	82	81	156	108	145	154	158	141	157	161	139	120	125	141	131	102	188	8	4,479

D 3.

DEATHS from all Causes, of BOTH SEXES, at different ages, registered in NEW SOUTH WALES from 1st January to 31st December, 1878.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.																						
1. Small-pox	1	1
1a. Chicken-pox	1
2. Measles	1	23
3. Scarlatina	1	7	1	3	2	5	4	253
3a. Diphtheria	24	27	38	30	30	60	24	4	5	3	1	...	2	2	...	1	...	1	...	1	...	10
4. Quinsy	1	1	1	2	1	1	2	1	252
5. Croup	30	59	54	31	37	39	2	367
6. Whooping-cough	210	92	28	13	11	10	2	...	1	441
7. Typhoid (and Infantile Fever)	41	23	14	15	11	49	35	53	58	38	22	22	15	12	9	7	5	5	3	1	3	...
8. Erysipelas	12	1	1	1	...	1	1	...	1	4	1	...	5	2	...	2	...	32
9. Metria	7	6	4	1	18
10. Carbuncle	1	1
11. Influenza	6	1	...	1	1	1	2	1	3	16
12. Dysentery	54	33	11	2	3	12	5	6	6	6	9	10	6	5	4	13	8	10	9	15	...	227
13. Diarrhœa	360	136	12	7	5	5	4	2	3	4	6	5	6	6	5	4	14	12	14	20	3	633
14. Cholera	31	15	3	...	1	3	...	1	1	2	1	3	3	2	1	2	1	...	1	71
15. Ague	1	1	1	3
16. Remittent Fever	10	12	3	1	...	1	1	...	2	1	...	1	1	1	34
17. Rheumatism	2	1	...	2	...	7	5	5	2	1	2	2	1	4	2	6	3	2	1	...	48
18. Pyæmia	1	1	1	1	1	2	7
19. Parotitis	1	1
	780	412	168	105	104	186	86	72	86	60	47	44	37	35	27	31	43	36	33	40	7	2,439
ORDER 2.																						
1. Syphilis	12	1	1	...	1	1	1	1	1	...	19
2. Stricture of the Urethra	1	1	1	...	1	...	4
3. Hydrophobia
4. Glanders
	12	1	1	...	1	1	2	2	1	...	2	...	23
ORDER 3.																						
1. Privation	3	1	2	...	3	6	3	5	5	10	8	2	2	1	...	3	54
2. Want of Breast Milk	85	5	90
3. Purpura and Scurvy	1	1	1	3
4. Alcoholism— a. Del. Tremens	1	3	2	4	5	6	3	1	25
b. Intemperance	2	3	7	9	9	7	10	5	9	7	2	...	2	72
5. Rickets	1	1
	86	6	3	1	2	3	9	15	16	19	18	24	13	11	11	3	...	5	245
ORDER 4.																						
1. Thrush	37	3	40
2. Worms, &c.
2a. Hydatid	1	1	3	...	1	3	9
	37	3	1	1	3	...	1	3	49
Total, Class I.	915	421	168	106	105	189	87	74	90	73	62	62	60	55	51	44	56	48	36	42	12	2,756
CLASS II.—ORDER 1.																						
1. Gout	1	1	...	1	2	...	2	2	9
2. Dropsy	2	2	2	...	1	3	1	...	5	3	1	11	10	12	9	14	14	15	12	12	1	131
3. Cancer	2	1	2	2	4	...	7	14	18	20	28	30	19	10	9	...	191
3a. Tumour	1	1	1	...	3	1	1	2	2	12
3b. Polypus
4. Noma	1	1	1	3
5. Mortification	1	3	1	2	1	2	3	3	1	...	2	...	19
	2	3	3	...	1	7	2	4	11	8	9	27	30	37	42	43	51	39	22	23	1	365
ORDER 2.																						
1. Scrofula	15	1	1	3	1	1	2	1	...	2	1	...	2	1	1	1	...	33
2. Tabes Mesenterica	104	62	5	4	1	176
3. Phthisis	5	4	1	1	1	7	6	46	80	95	81	72	74	62	43	32	22	8	1	1	1	643
3a. Hæmoptysis	1	1	2	1	...	1	1	1	...	1	9
4. Hydrocephalus	16	12	3	2	...	1	1	2	34
5. Abscess	2	1	1	1	2	10
	142	80	10	10	3	10	9	49	82	97	84	73	76	63	45	36	23	9	1	2	1	905
Total, Class II.	144	83	13	10	4	17	11	53	93	105	93	100	106	100	87	79	74	48	23	25	2	1,270

D 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.																						
1. Cephalitis	75	39	16	5	3	8	8	4	1	2	3	5	3	1	1	1	...	1	1	176
2. Apoplexy	5	1	2	1	...	2	5	6	10	13	19	15	17	23	22	18	16	11	...	187
3. Paralysis	1	1	2	1	4	2	12	5	6	6	6	23	19	16	27	133
4. Insanity	1	...	1	2	1	2	5	10	5	5	3	6	5	...	2	1	49
5. Chorea
6. Epilepsy	1	2	3	2	1	4	2	3	8	4	6	3	4	3	3	...	4	1	...	54
7. Convulsions	499	108	20	5	1	4	637
8. Brain Disease, &c.	24	8	1	2	...	7	9	10	9	11	13	12	12	19	11	9	17	9	5	3	...	191
	604	157	39	12	6	25	21	19	25	24	33	55	53	51	42	46	72	55	37	47	4	1427
ORDER 2.																						
1. Pericarditis	2	...	3	1	1	...	2	...	2	3	1	1	16
2. Aneurism	2	...	1	1	2	3	3	7	7	10	5	5	4	2	1	48
3. Heart Disease, &c.	7	3	2	1	5	10	18	14	15	13	29	25	49	48	51	45	30	45	36	26	2	474
	9	3	3	1	5	12	18	17	17	16	32	30	56	57	64	51	34	47	37	27	2	538
ORDER 3.																						
1. Laryngitis.....	4	2	4	2	3	2	1	...	3	1	1	2	...	1	1	...	1	28
2. Bronchitis.....	155	50	23	20	12	14	5	4	3	4	4	7	6	8	8	15	23	22	19	31	...	433
3. Pleurisy	3	1	...	1	...	1	1	2	1	2	2	1	7	...	2	2	1	1	...	28
4. Pneumonia	69	34	15	7	5	10	7	18	14	15	20	24	18	22	25	16	13	5	12	9	2	360
4a. Congestion of the Lungs—Pulmonary.	22	9	5	1	1	1	4	1	2	3	1	3	53
5. Asthma	1	2	3	3	6	3	1	3	4	7	33
6. Lung Disease, &c.	20	11	3	1	4	11	4	4	6	5	3	5	14	15	6	8	16	4	3	1	...	144
	273	106	50	32	25	38	17	27	27	29	41	44	55	53	45	59	37	43	49	2	...	1079
ORDER 4.																						
1. Gastritis	45	22	...	2	1	5	1	...	2	2	1	1	...	2	1	...	1	86
2. Enteritis	95	35	5	4	3	8	8	13	4	8	4	11	7	4	6	4	10	10	5	2	...	246
3. Peritonitis	3	1	1	5	4	6	4	2	5	2	3	1	1	...	1	39
4. Ascites	3	1	3	1	2	...	1	3	1	...	15
5. Ulceration of Intestines	1	1	2
6. Hernia	3	2	1	2	1	2	1	3	2	1	18
7. Ileus	6	1	1	...	1	2	1	1	1	1	1	2	...	2	1	20
8. Intussusception	1	2	1	1	1	...	1	7
9. Stricture of Intestines	1	1	1	1	3	1	1	1	3	1	5	...	19
10. Fistula	1	1
11. Stomach Disease, &c....	12	2	2	...	1	2	1	4	3	5	2	1	2	1	...	1	39
12. Pancreas Disease, &c....	1	1	2
13. Hepatitis	7	1	...	1	1	...	2	3	3	1	8	9	11	6	7	5	4	4	1	74
14. Jaundice	11	1	1	...	1	1	1	1	2	1	3	3	2	3	2	4	37
15. Liver Disease, &c.	1	2	1	2	2	3	3	4	5	8	7	20	20	19	13	18	11	7	4	1	...	151
16. Spleen Disease, &c.....	2	2	5
	188	67	7	9	8	16	22	24	23	24	23	41	48	53	43	39	42	38	27	18	1	751
ORDER 5.																						
1. Nephritis	1	1	1	3	2	1	3	1	1	14
2. Ischuria.....	1	1	1	...	1	1	5
3. Nephria.....	1	...	3	1	2	...	3	6	6	12	8	8	7	7	3	4	1	72
4. Diabetes	1	1	1	1	1	...	1	1	...	8
5. Stone	1	1	1	2	2	1	1	10
6. Cystitis	1	1	1	2	1	1	1	...	3	5	7	2	4	...	28
7. Kidney Disease, &c.	1	...	1	1	1	2	2	1	4	6	4	4	4	4	5	5	4	4	...	49
	4	1	5	...	1	1	4	3	8	8	7	20	19	20	15	16	17	19	7	9	2	186
ORDER 6.																						
1. Ovarian Dropsy	1	1
2. Uterus Disease, &c.	3	...	2	1	1	7
	3	1	2	1	1	8
ORDER 7.																						
1. Arthritis	2	2
1a. Ostitis Periostitis, &c.	1	1
2. Joint Disease, &c.	2	...	1	...	1	1	2	1	8
	2	3	...	1	...	1	1	2	1	11
ORDER 8.																						
1. Phlegmon	1	2	1
2. Ulcer	1	4
3. Skin Disease, &c.	5	2	1	1	9
	5	2	2	1	...	2	1	13
Total, Class III.....	1083	336	104	54	45	94	85	90	103	102	126	190	221	239	219	199	224	196	152	150	11	4023

D 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth	254	254
2. Cyanosis	12	1	13
3. Spina Bifida	5	5
4. Other Malformations ...	17	17
5. Teething	170	146	1	317
	458	147	1	606
ORDER 2.																						
1. Paramenia	1	1
2. Childbirth (See Metria)	11	9	19	14	18	11	3	85
	11	9	19	14	18	12	3	86
ORDER 3.																						
1. Old Age.....	1	1	62	80	141	349	1	635
ORDER 4.																						
1. Atrophy and Debility...	477	58	4	2	541
Total, Class IV	935	205	5	2	11	9	19	14	18	12	3	1	1	62	80	141	349	1	1868
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	6	2	1	1	3	23	23	14	20	22	23	30	21	20	19	14	8	5	2	8	4	269
2. Wounds... { a Gunshot.	1	1	1	3	3	1	1	1	1	1	...	1	1	...	1	17
b Cuts	3	2	1	...	1	1	2	3	1	...	1	14
3. Burns and Scalds	7	15	11	11	8	6	4	1	3	4	...	3	2	1	4	...	1	2	1	4	1	89
3a. Sunstroke	1	3	2	1	4	2	3	1	2	1	1	21
4. Poison	1	1	4	2	2	3	3	3	3	5	1	3	1	29
4a. Bite of Snake or Insect	1	4	1	...	1	7
5. Drowning	3	20	5	5	1	29	19	14	19	16	14	16	10	13	9	7	7	1	3	...	9	220
6. Suffocation	20	3	3	1	...	1	...	1	...	1	2	3	1	2	1	...	4	...	1	...	1	45
7. Otherwise	1	...	1	1	...	1	1	5
	41	40	21	18	12	70	51	36	55	48	44	57	41	45	39	25	24	13	8	12	16	716
ORDER 2.—VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise
ORDER 3.—HOMICIDE.																						
Murder and Manslaughter	7	1	...	1	3	1	1	2	...	2	...	1	1	2	...	1	23
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot	1	3	1	...	1	2
Cut, Stab, &c.	1	1	2	...	1	5
2. Poison	2
3. Drowning	1	...	1	1	...	2	1	1	...	9
4. Hanging	1	2	...	1	1	1
5. Otherwise	1
	1	...	2	3	2	4	1	3	2	3	1	3	25
ORDER 5.—EXECUTION.																						
1. Hanging	1	1
Violent Deaths (not classed)	1	1	2	1	1	3	3	3	2	...	2	19
Total, Class V	49	41	21	18	12	70	52	36	59	52	48	65	48	52	44	28	29	17	11	15	17	784
Sudden Deaths (Causes not specified or ill-defined).	5	3	...	1	4	1	3	6	4	8	5	4	2	2	14	62
GRAND TOTAL	3126	1086	311	190	171	373	235	265	358	352	346	441	451	457	407	355	447	391	363	581	57	10763

716
725

784

E 1.

DEATHS from all causes, of MALES at different ages, registered in SYDNEY, from 1st January to 31st December, 1878.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS I.—ORDER 1.																						
1. Small-pox
1a. Chicken-pox
2. Measles
3. Scarlatina
3a. Diphtheria	1	2	2	4	9
4. Quinsy	18
5. Croup	2	4	4	3	3	2	43
6. Whooping-cough	25	12	4	1	1	52
7. Typhoid (and Infantile Fever.)	8	1	2	3	1	5	2	3	7	5	1	2	7	1	1	...	2	1
8. Erysipelas	1	1	2
9. Metria	1	1
10. Carbuncle
11. Influenza
12. Dysentery	1	3	2	3	3	2	1	2	2	1	1	1	2	...	22
13. Diarrhoea	30	20	1	3	2	1	...	1	...	1	2	1	1	1	2	2	1	1	2	4	...	75
14. Cholera	6	2	1	1	1	2	13
15. Ague	1	1	2
16. Remittent Fever
17. Rheumatism	1	1	...	2	1	5
18. Pyæmia
19. Parotitis (Mumps)	1	1
	72	42	12	12	10	13	2	5	11	8	6	5	11	3	5	5	6	6	3	6	...	243
ORDER 2.																						
1. Syphilis	2	1	1	4
2. Stricture of the Urethra	1	1
3. Hydrophobia
4. Glanders
	2	1	1	1	5
ORDER 3.																						
1. Privation
2. Want of Breast Milk	13	1	14
3. Purpura and Scurvy
4. Alcoholism :—
a. Del. Tremens	1	1	1	3	2	8
b. Intemperance	2	2	6	2	1	3	3	2	1	1	...	23
5. Rickets	1	1
	14	1	2	3	7	3	4	5	3	2	1	1	46
ORDER 4.																						
1. Thrush	5	5
2. Worms, &c.	1	1	1
2a. Hydatid
	5	1	1	1	8
Total, Class I.....	93	43	12	12	10	13	2	5	12	11	9	13	15	7	10	8	9	8	3	6	1	302
CLASS II.—ORDER 1.																						
1. Gout	1	1	3
2. Dropsy	1	...	1	1	1	2	9
3. Cancer	1	...	2	3	4	2	3	1	1	17
3a. Tumour	1	1	1	4
3b. Polypus
4. Noma
5. Mortification
	1	...	1	2	2	1	5	4	4	7	5	1	33
ORDER 2.																						
1. Scrofula	3	1	4
2. Tabes Mesenterica	18	15	2	1	1	37
3. Phthisis	5	14	18	12	10	11	11	6	7	3	1	98
3a. Hæmoptysis	1	1	...	1	3
4. Hydrocephalus	3	3	1	1	...	1	9
5. Abscess	1	...	1	1	3
	24	18	3	2	1	2	...	5	15	18	13	11	12	12	7	7	3	1	154
Total, Class II....	24	18	3	2	1	2	...	6	15	19	15	13	13	17	11	11	10	6	1	187

E 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.																						
1. Cephalitis	9	7	5	1	2	1	1	...	1	27
2. Apoplexy	1	1	1	3	2	3	1	3	5	2	5	1	...	27
3. Paralysis	1	3	...	1	3	1	...	1	...	10
4. Insanity	1	1	2
5. Chorea
6. Epilepsy	1	1	1	1	2	1	1	1	...	9
7. Convulsions	46	9	2	2	...	1	60
8. Brain Disease, &c.	3	1	1	1	1	...	6	2	1	3	1	2	...	1	1	24
	59	17	7	3	...	2	3	1	3	3	9	10	5	8	3	5	8	4	6	3	...	159
ORDER 2.																						
1. Pericarditis	1	1	1	...	3
2. Aneurism	1	1	1	3	1	1	8
3. Heart Disease, &c.	4	...	1	...	3	3	3	...	2	...	2	4	4	10	6	4	...	6	4	4	...	60
	4	...	1	...	3	4	3	...	2	1	3	5	7	11	7	5	...	6	4	5	...	71
ORDER 3.																						
1. Laryngitis.....	1	1	...	2	1	...	1	2	1	9
2. Bronchitis.....	21	5	1	1	2	2	6	2	1	1	...	42
3. Pleurisy	1	1	2	2	1	1	8
4. Pneumonia	8	2	3	3	...	8	2	2	1	3	3	1	36
4a. Congestion of the Lungs—Pulmonary.	7	3	1	1	3	...	1	16
5. Asthma.....	1	1
6. Lung Disease, &c.	1	1	2
	38	11	2	3	1	...	1	3	4	1	8	4	4	7	7	6	7	3	3	1	...	114
ORDER 4.																						
1. Gastritis	8	4	12
2. Enteritis	9	4	2	2	2	1	...	1	2	1	23
3. Peritonitis	2	1	1	4
4. Ascities.....	2	1	1	4
5. Ulceration of Intestines	1	1
6. Hernia	1	1	1	...	1	4
7. Ileus	1	1	1	1	4
8. Intussusception	1	1
9. Stricture of Intestines	1	1	2
10. Fistula
11. Stomach Disease, &c....	1	2	2	2	7
12. Pancreas Disease, &c....
13. Hepatitis	1	1	...	2	2	3	1	2	1	...	1	14
14. Jaundice	1	1	2
15. Liver Disease, &c.	1	1	4	2	1	2	...	1	12
16. Spleen Disease, &c.....
	20	10	2	2	1	1	2	2	...	2	2	8	11	9	4	6	4	2	2	90
ORDER 5.																						
1. Nephritis	1	1
2. Ischuria.....	1
3. Nephria.....	1	1	4	6	4	3	1	1	...	3	24
4. Diabetes	1	1
5. Stone	1	1
6. Cystitis	1	...	1	4	...	1	7
7. Kidney Disease, &c.	1	1	1	3	2	2	1	1	1	2	15
	1	...	2	1	1	4	8	8	7	3	2	2	8	2	1	...	50
ORDER 7.																						
1. Arthritis	1	1
1a. Ostitis, Periostitis, &c.	1	1
2. Joint Disease, &c.
	1	1	2
ORDER 8.																						
1. Phlegmon	1
2. Ulcer	1
3. Skin Disease, &c.	2	2
	2	1	3
Total, Class III	124	38	14	8	5	8	10	6	10	8	26	35	35	43	24	24	21	23	17	10	...	489

E 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth.....	25	25
2. Cyanosis	5	5
3. Spina Bifida	2	2
4. Other Malformations ...	5	5
5. Teething	9	6	1	16
	46	6	1	53
ORDER 3.																						
1. Old Age.....	1	1	1	8	13	18	...	42
ORDER 4.																						
1. Atrophy and Debility...	47	5	1	53
Total, Class IV.....	93	11	2	1	1	1	8	13	18	...	148
CLASS V.—ORDER 1.—																						
ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	1	...	1	1	2	3	6	5	2	8	1	1	5	1	3	2	2	44
2. Wounds { a Gunshot	1	1	2
{ b Cuts	2	1	1	...	1	5
3. Burns and Scalds	2	1	1	1	1	1	1	8
3a. Sunstroke	1	1	1	3
4. Poison	1	...	1	1	3
4a. Bite of Snake or Insect	1
5. Drowning	1	1	1	1	4
6. Suffocation	2	1	1	1	5
7. Otherwise (bite of a dog)	1	1
	2	4	3	1	2	6	2	3	11	6	3	11	2	2	6	2	4	2	...	1	2	75
ORDER 2.—VIOLENT DEATHS																						
IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise

ORDER 3.—HOMICIDE.																						
1. Murder	1	1	2
2. Manslaughter	1	1	2
	1	1	...	1	...	1	4
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot
{ Cut, Stab, &c.	1	1	...	1	1	...	4
2. Poison	1	1	2
3. Drowning	1
4. Hanging	1	1
5. Otherwise
	2	...	1	1	1	1	1	7
ORDER 5.—EXECUTION.																						
1. Hanging
Violent Deaths (not classed)	1	2	1	1	3	2	3	2	...	2	17
Found drowned, &c.																						
Total, Class V.	4	4	3	1	2	6	3	3	14	7	5	16	4	6	9	3	7	2	...	2	2	103
Sudden Deaths (cause un-
ascertained.)																						
Causes not specified or ill-	3	1	3	...	2	1	2	5	...	1	2	4	24
defined.																						
GRAND TOTAL	338	114	34	23	21	30	15	20	54	45	57	78	69	78	55	48	50	47	34	36	7	1253

DEATHS from all causes of FEMALES, at different ages, registered in SYDNEY, from 1st January to 31st December, 1878.

CAUSES OF DEATH.		Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.																							
1. Small-pox
1a. Chicken-pox
2. Measles
3. Scarlatina	1	1	...	1
3a. Diphtheria	...	1	2	1	2	2
4. Quinsy	...	1
5. Croup	1	4	3	2	3	3
6. Whooping-cough	22	18	4	2	2	1
7. Typhoid (and Infantile Fever).	2	...	3	1	1	8	9	4	8	5	3	4	1	1	1	...
8. Erysipelas	1	1
9. Metria	1	...	1
10. Carbuncle
11. Influenza
12. Dysentery	2	1	1	1	1	...	1	...	1	1	1	1	2	1
13. Diarrhoea	34	13	2	1	...	1	3	4	6	1	7
14. Cholera	2	1	1	1
15. Ague
16. Remittent Fever
17. Rheumatism	1	1	...	1	...	2	1	...	2
18. Pyæmia	1	...	1
	64	39	16	7	9	15	12	5	10	7	5	9	4	1	1	3	8	6	2	8	1	...	232
ORDER 2.																							
1. Syphilis	4	1
2. Stricture of the Urethra
3. Hydrophobia
4. Glanders
	4	1
ORDER 3.																							
1. Privation
2. Want of Breast Milk	10
3. Purpura and Scurvy
4. Alcoholism— a. Del. Tremens b. Intemperance	2	...	3	1	2
	10	2	...	3	1	2
ORDER 4.																							
1. Thrush	1
2. Worms, &c.
2a. Hydatid	1	2
	1	1	2
Total, Class I	79	39	16	7	9	15	12	5	12	9	8	9	6	2	3	3	8	6	2	8	1	...	259
CLASS II.—ORDER 1.																							
1. Gout	1	2	3	3	1	...	3	1
2. Dropsy	1	1	1	1	1	...	1	1	2	2	2	5	5	4	2	2
3. Cancer	1	3	1	...	1	1
3a. Tumour
3b. Polypus
4. Noma	1	1
5. Mortification	1	1	...	1	1
	1	1	2	2	3	1	1	4	5	6	6	9	7	3	5	1
ORDER 2.																							
1. Scrofula	2	1	1
2. Tabes Mesenterica	15	7	1	1
3. Phthisis	1	1	9	6	14	15	6	11	4	5	2	2	2
3a. Hæmoptysis
4. Hydrocephalus	1	1
5. Abscess	1
	20	9	1	1	1	9	6	14	16	6	11	4	5	2	2	2
Total, Class II.	21	10	3	1	...	2	1	9	9	15	17	10	16	10	11	11	9	5	5	1	166

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.																						
1. Cephalitis	16	5	1	1	1	1	25
2. Apoplexy	1	1	2	2	5	1	2	4	4	3	1	4	...	30
3. Paralysis	1	2	1	3	3	...	10
4. Insanity
5. Chorea
6. Epilepsy	1	2	1	...	1	1	1	...	8
7. Convulsions	31	15	5	2	...	3	1	56
8. Brain Disease, &c.	1	1	3	2	1	2	...	1	2	...	2	3	2	1	1	...	22
	47	20	6	3	1	5	1	4	5	2	4	4	7	3	3	7	9	6	5	9	...	151
ORDER 2.																						
1. Pericarditis	1	1	1	2
2. Aneurism	1	...	1	2
3. Heart Disease, &c.	1	4	2	3	2	1	3	6	6	4	2	2	1	2	3	...	42
	1	4	2	3	2	1	3	7	7	6	2	2	1	2	3	...	46
ORDER 3.																						
1. Laryngitis	1	...	1	2
2. Bronchitis	22	4	1	3	...	1	2	1	1	...	1	2	3	4	7	...	52
3. Pleurisy	1	1	2
4. Pneumonia	4	5	2	...	1	3	...	1	2	1	2	3	2	...	4	4	1	35
4a. Congestion of the Lungs—Pulmonary.	5	2	3	1	...	2	1	1	15
5. Asthma	1	...	1	1	1	...	4
6. Lung Disease, &c.	1	1	2
	32	11	7	3	2	3	1	1	3	1	2	5	3	2	5	6	6	4	6	9	...	112
ORDER 4.																						
1. Gastritis	7	1	1	1	10
2. Enteritis	8	8	1	1	1	1	2	4	1	...	3	1	3	1	1	36
3. Peritonitis	1	1	1	3
4. Ascites	2	1	1	4
5. Ulceration of Intestines	1
6. Hernia	1	1
7. Ileus	1	1
8. Intussusception
9. Stricture of Intestines	1	1
10. Fistula
11. Stomach Disease, &c....	1	2	...	1	4
12. Pancreas Disease, &c....
13. Hepatitis	1	1	...	1	2	1	6	2	2	...	1	17
14. Jaundice	1	1
15. Liver Disease, &c.	1	1	1	1	...	2	1	1	2	...	1	11
16. Spleen Disease, &c.....
	17	9	1	2	1	1	3	6	3	3	2	4	5	10	6	8	3	3	2	89
ORDER 5.																						
1. Nephritis	1	1	2
2. Ischuria
3. Nephria	1	1	1	3	2	3	1	1	1	1	15
4. Diabetes
5. Stone
6. Cystitis
7. Kidney Disease, &c.	1	1	1	3
	1	1	1	1	1	4	3	3	1	1	2	2	20
ORDER 6.																						
1. Ovarian Dropsy	1	1
2. Uterus Disease, &c.....	3	...	1	1	5
	3	1	1	1	6
ORDER 7.																						
1. Arthritis
1a. Ostitis, Periostitis, &c.
2. Joint Disease, &c.

ORDER 8.																						
1. Phlegmon
2. Ulcer
3. Skin Disease, &c.	1	1
	1	1
Total, Class III	96	40	15	8	4	9	9	14	15	12	11	22	26	25	21	24	22	16	15	21	...	425

E 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth	32	32
2. Cyanosis	4	4
3. Spina Bifida	1	1
4. Other Malformations ...	3	3
5. Teething	6	8	14
	46	8	54
ORDER 2.																						
1. Paramenia
2. Childbirth (See Metria)	4	1	2	2	4	13
	4	1	2	2	4	13
ORDER 3.																						
1. Old Age	4	5	8	19	...	36
ORDER 4.																						
1. Atrophy and Debility...	58	9	2	1	70
Total, Class IV.....	104	17	2	1	4	1	2	2	4	4	5	8	19	173
CLASS V.—ORDER 1.—																						
ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	2	1	1	1	2	7
2. Wounds { a Gunshot
b Cuts	1	1
3. Burns and Scalds	1	2	2	1	2	8
3a. Sunstroke
4. Poison
4a. Bite of Snake or Insect
5. Drowning
6. Suffocation	5	1	6
7. Otherwise (Shock after Operation).	1	1
	9	2	...	1	2	...	1	1	1	...	2	1	1	2	23
ORDER 2.—																						
VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise

ORDER 3.—HOMICIDE.																						
1. Murder	3	1	4
2. Manslaughter	1	1	2
	3	1	1	1	6
ORDER 4.—SUICIDE.																						
1. Wounds—																						
Gunshot
Cut, stab, &c.....
2. Poison
3. Drowning
4. Hanging
5. Otherwise

ORDER 5.—EXECUTION.																						
1. Hanging

Violent Deaths (not classed)—Found drowned, &c.	...	1	1	2
Total, Class V.....	12	3	...	1	2	...	1	1	1	1	...	2	2	1	1	1	...	2	...	31

Sudden Deaths (cause unascertained).
Causes not specified or ill-defined.	2	1	...	1	1	...	1	2	1	...	2	1	2	14
GRAND TOTALS ...	312	109	36	18	17	27	23	34	39	39	39	49	51	38	38	39	43	33	30	51	3	1068

E 3.

DEATHS from all causes of BOTH SEXES, at different ages, registered in SYDNEY, from 1st January to 31st December, 1878.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS 1.—ORDER 1.																						
1. Small-pox
1a. Chicken-pox
2. Measles
3. Scarlatina	1	1	...	1
3a. Diphtheria	1	3	3	4	6
4. Quinsy	1
5. Croup	3	8	7	5	6	5
6. Whooping-cough	47	30	8	3	3	1
7. Typhoid (and Infantile Fever)	10	1	5	4	2	13	11	7	15	10	4	6	7	1	1	1	2	1	...	1	1	103
8. Erysipelas	1	1	1	1	1
9. Metria	1	...	1
10. Carbuncle	1
11. Influenza
12. Dysentery	3	4	1	1	1	2	4	3	3	2	1	4	1	1	2	2
13. Diarrhoea	64	33	3	3	2	1	1	1	1	3	4	1	2	2	5	7	3	11
14. Cholera	8	3	1	1	1	1	...	1	2
15. Ague	1	1
16. Remittent Fever
17. Rheumatism	1	1	...	1	1	2	2	...	4	1
18. Pyæmia	1	...	1
19. Parotitis (Mumps)	1
	136	81	28	19	19	28	14	10	21	15	11	14	15	4	6	8	14	12	5	14	1	475
ORDER 2.																						
1. Syphilis	6	1	...	1	1
2. Stricture of the Urethra	1
3. Hydrophobia
4. Glanders
	6	1	...	1	1	1
ORDER 3.																						
1. Privation
2. Want of Breast Milk	23	1
3. Purpura and Scurvy
4. Alcoholism—
a. Del. Tremens	1	1	1	3	2
b. Intemperance	2	2	5	6	2	2	5	3	2	1	1	...
5. Rickets	1
	24	1	2	2	6	7	3	5	7	3	2	1	1	...
ORDER 4.																						
1. Thrush	6
2. Worms, &c.
2a. Hydatid	1	2	3
	6	1	2	3
Total, Class I ...	172	82	28	19	19	28	14	10	24	20	17	22	21	9	13	11	17	14	5	14	2	561
CLASS II.—ORDER 1.																						
1. Gout	1	...	1	1	1
2. Dropsy	1	1	1	1	1	1	1	3	4	1	...	4	3	2	3	1
3. Cancer	1	...	1	2	1	2	5	9	7	7	3	3
3a. Tumour	1	1	...	3	1	1	2
3b. Polypus
4. Noma	1	1
5. Mortification	1	1	...	1	1
	1	1	2	2	...	1	3	2	3	6	6	11	10	13	14	8	6	1
ORDER 2.																						
1. Scrofula	5	1	1	...	1
2. Tabes Mesenterica	33	22	3	2	1
3. Phthisis	1	1	14	20	32	27	16	22	15	11	9	5	3
3a. Hæmoptysis	1	1	...	1
4. Hydrocephalus	4	4	1	1	...	1
5. Abscess	1	1	1	1
	44	27	4	3	1	2	1	14	21	32	29	17	23	16	12	9	5	3
Total, Class II ...	45	28	6	3	1	4	1	15	24	34	32	23	29	27	22	22	19	11	6	1	...	353

E 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III.—ORDER 1.																						
1. Cephalitis	25	12	6	2	1	1	2	1	1	...	1	52
2. Apoplexy	1	2	3	5	7	4	3	7	9	5	6	5	...	57
3. Paralysis	1	4	...	1	5	2	3	4	...	20
4. Insanity	1	1	2
5. Chorea
6. Epilepsy	1	1	3	1	1	3	2	1	1	1	1	2	...	17
7. Convulsions	77	24	7	4	...	4	3	1	116
8. Brain Disease, &c.	3	1	1	2	4	3	1	8	2	2	5	1	4	3	3	2	1	...	46
	106	37	13	6	1	7	4	5	8	5	13	14	12	11	6	12	17	10	11	12	...	310
ORDER 2.																						
1. Pericarditis	1	1	1	1	1	...	5
2. Aneurism	1	1	1	4	1	2	10
3. Heart Disease, &c.	4	...	2	...	3	3	7	2	5	2	3	7	10	16	10	6	2	7	6	7	...	102
	4	...	2	...	3	4	7	2	5	3	4	8	14	18	13	7	2	7	6	8	...	117
ORDER 3.																						
1. Laryngitis.....	1	1	1	2	2	...	1	2	1	11
2. Bronchitis.....	43	9	2	4	...	1	2	1	1	2	3	8	5	5	8	...	94
3. Pleurisy	2	1	2	2	...	1	1	1	10
4. Pneumonia	12	7	2	...	1	3	...	4	5	1	10	5	4	1	7	7	1	1	...	71
4a. Congestion of the Lungs—Pulmonary.	12	5	4	1	3	1	1	2	1	1	31
5. Asthma.....	1	1	...	1	1	1	...	5
6. Lung Disease, &c.	1	1	1	1	4
	70	22	9	6	3	3	2	4	7	2	10	9	7	9	12	12	13	7	9	10	...	226
ORDER 4.																						
1. Gastritis	15	5	1	1	22
2. Enteritis	17	12	3	3	1	1	2	4	2	2	...	3	1	5	2	1	59
3. Peritonitis	2	2	1	1	7
4. Ascites	2	1	3	...	1	1	8
5. Ulceration of Intestines	1	1
6. Hernia	1	1	1	1	1	5
7. Ileus	1	1	1	1	1	5
8. Intussusception	1	1
9. Stricture of Intestines..	1	...	1	1	3
10. Fistula
11. Stomach Disease, &c....	1	2	1	3	2	2	11
12. Pancreas Disease, &c....
13. Hepatitis	1	...	1	1	1	1	4	3	9	3	4	1	1	1	31
14. Jaundice	1	1	1	3
15. Liver Disease, &c.	1	...	1	1	1	1	1	6	3	2	4	...	2	23
16. Spleen Disease, &c.....
	37	19	3	4	2	2	5	8	3	5	4	12	16	19	10	14	7	5	4	179
ORDER 5.																						
1. Nephritis	1	1	1	3
2. Ischuria.....	1	1
3. Nephria.....	1	1	2	5	9	6	6	2	2	1	4	39
4. Diabetes	1	1
5. Stone	1	1
6. Cystitis	1	...	1	4	...	1	7
7. Kidney Disease, &c.	1	1	2	4	2	2	1	1	2	2	18
	1	...	2	1	2	2	5	12	11	10	4	3	4	10	2	1	70
ORDER 6.																						
1. Ovarian Dropsy	1	1
2. Uterus Disease, &c.	3	...	1	1	5
	3	1	1	1	6
ORDER 7.																						
1. Arthritis	1	1
1a. Ostitis Periostitis, &c..	1	1
2. Joint Disease, &c.
	1	1	2
ORDER 8.																						
1. Phlegmon	1
2. Ulcer	1	1
3. Skin Disease, &c.	2	3
	2	1	...	1	4
Total, Class III.....	220	78	29	16	9	17	19	20	25	20	37	57	61	68	45	48	43	39	32	31	...	914

E 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth	57	57
2. Cyanosis	9	9
3. Spina Bifida	3	3
4. Other Malformations ...	8	8
5. Teething	15	14	1	30
	92	14	1	107
ORDER 2.																						
1. Paramenia	4	1	2	2	4
2. Childbirth (See Metria)	4	1	2	2	4	13
	4	1	2	2	4	13
ORDER 3.																						
1. Old Age	1	1	5	13	21	37	...	78
ORDER 4.																						
1. Atrophy and Debility ...	105	14	3	1	123
Total, Class IV	197	28	4	1	4	1	2	2	4	1	1	5	13	21	37	...	321
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	2	...	1	...	1	1	3	3	6	5	2	8	2	2	5	1	3	2	...	2	2	51
2. Wounds { a Gunshot	1	1	2
{ b Cuts.....	1	2	1	1	...	1	6
3. Burns and Scalds	1	4	1	1	3	2	2	1	1	...	16
3a. Sunstroke	1	1	1	3
4. Poison	1	...	1	1	3
4a. Bite of Snake or Insect
5. Drowning	1	1	1	1	4
6. Suffocation	7	1	1	1	1	11
7. Otherwise	1	...	1	2
	11	6	3	2	4	6	3	4	12	6	3	13	3	3	6	2	4	2	...	3	2	98
ORDER 2.																						
VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise

ORDER 3.—HOMICIDE.																						
1. Murder	4	1	1	6
2. Manslaughter.....	1	1	1	1	4
	4	1	...	1	1	1	1	1	10
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot
{ Cut, Stab, &c.	1	1	...	1	1	...	4
2. Poison	1	1	2
3. Drowning
4. Hanging	1	1
5. Otherwise
	2	...	1	1	1	1	1	...	7
ORDER 5.—EXECUTION.																						
1. Hanging
Violent Deaths (not classed), Found drowned, &c.	1	1	2	1	1	3	3	3	2	...	2	19
Total, Class V.....	16	7	3	2	4	6	4	4	15	8	5	18	6	7	10	3	7	3	...	4	2	134
Sudden Deaths (cause un- ascertained.)
Causes not specified or ill- defined.	5	2	...	1	4	...	3	3	3	5	2	2	2	6	38
GRAND TOTALS.....	650	223	70	41	38	57	38	54	93	84	96	127	120	116	93	87	93	80	64	87	10	2321

DEATHS from all causes of MALES, at different ages, registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1878.

[illegible]

F 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.																						
1. Cephalitis	9	5	1	2	1	1	19
2. Apoplexy	1	2	1	...	5	1	2	2	...	1	15
3. Paralysis	1	1	2	6	...	10
4. Insanity
5. Chorea
6. Epilepsy	2	1	...	1	...	1	...	5
7. Convulsions	41	12	4	1	1	59
8. Brain Disease, &c.	1	...	1	2	3	1	1	2	1	...	1	3	1	1	1	...	19
	51	17	6	1	1	6	3	1	1	1	2	3	2	6	2	4	5	3	4	8	...	127
ORDER 2.																						
1. Pericarditis	2	1
2. Aneurism	1	2	1	1	5
3. Heart Disease, &c.	2	1	1	2	...	2	...	1	3	3	5	1	6	2	6	...	35
	3	1	1	2	...	2	...	1	5	4	6	1	6	2	6	...	40
ORDER 3.																						
1. Laryngitis	1	...	1	1	2	1	6
2. Bronchitis	15	4	4	1	1	1	1	1	2	5	1	...	36
3. Pleurisy	1	2	1	4
4. Pneumonia	9	4	2	1	1	1	2	1	...	2	1	1	3	3	2	...	3	36
4a. Congestion of the Lungs—Pulmonary.	6	1	1	1	...	1	10
5. Asthma	1	1
6. Lung Disease, &c.	1	2	1	1	1	2	8
	32	10	7	3	2	2	2	1	4	3	1	2	2	4	4	5	5	2	9	1	...	101
ORDER 4.																						
1. Gastritis	2	2	1	1	1	7
2. Enteritis	20	4	2	2	1	1	1	1	1	33
3. Peritonitis	1	...	1	2
4. Ascites	1	1
5. Ulceration of Intestines
6. Hernia	1	1
7. Ileus	1
8. Intussusception	1	1
9. Stricture of Intestines..
10. Fistula
11. Stomach Disease, &c....	1	1	1	...	3
12. Pancreas Disease, &c....
13. Hepatitis	1	1	1	1	1	1	1	1	1	...	8
14. Jaundice	1	...	1	1	1	1	1	...	5
15. Liver Disease, &c.	1	1	1	...	1	1	3	...	1	...	9
16. Spleen Disease, &c.....
	26	6	...	1	3	3	1	1	2	1	2	1	1	2	3	2	3	6	3	4	...	71
ORDER 5.																						
1. Nephritis	1	1
2. Ischuria	1
3. Nephria	1	1	1	1	...	1	1	1	1	8
4. Diabetes	1	...	1
5. Stone	1	1
6. Cystitis	2	2
7. Kidney Disease, &c.	1	...	1	...	1	1	4
	1	...	1	1	1	2	1	1	1	1	3	2	1	...	1	1	...	18
ORDER 7.																						
1. Arthritis, &c.
1a. Ostitis, Periostitis, &c.
2. Joint Disease, &c.

ORDER 8.																						
1. Phlegmon
2. Ulcer	1	1
3. Skin Disease, &c.	1	1
	1	1	2
Total, Class III.....	114	33	14	5	6	11	7	5	10	7	8	7	7	18	16	19	15	17	20	20	...	359

F 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth.....	14	14
2. Cyanosis	1	1
3. Spida Bifida.....	1	1
4. Other Malformations
5. Teething	5	9	14
	21	9	30
ORDER 3.																						
1. Old Age	3	2	2	15	1	23
ORDER 4.																						
1. Atrophy and Debility...	59	6	65
Total, Class IV.....	80	15	3	2	2	15	1	118
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	2	2	2	1	1	1	1	2	...	1	...	2	...	15
2. Wounds { <i>a</i> Gunshot
<i>b</i> Cuts.....
3. Burns and Scalds	1	...	1	1	3
3 <i>a</i> . Sunstroke	1	1	2
4. Poison
4 <i>a</i> . Bite of Snake or insect
5. Drowning	1	2	1	3	1	2	...	1	11
6. Suffocation	5	1	1	7
7. Otherwise.....
	7	3	1	1	...	3	5	...	1	1	2	2	1	1	3	2	1	1	...	2	1	38
ORDER 2.																						
VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise.....

ORDER 3.—HOMICIDE.																						
Murder and Manslaughter
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot.....
Cut, Stab, &c.	1	1	...	2
2. Poison
3. Drowning
4. Hanging	1	1	...	2
5. Otherwise.....
	1	1	2	...	4
ORDER 5.—EXECUTION.																						
1. Hanging
Violent Deaths(not classed)
Total, Class V.	7	3	1	1	...	3	5	...	1	1	2	2	2	1	3	2	1	1	1	4	1	42
Sudden Deaths (cause un- ascertained).
Causes not specified or ill- defined.	1	...	1	1	3
GRAND TOTALS.....	296	108	30	16	16	28	18	11	23	23	23	23	25	33	32	30	24	24	31	41	2	857

F 2.

DEATHS from all causes of FEMALES, at different ages, registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1878.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.																						
1. Small-pox
1a. Chicken-pox
2. Measles
3. Scarlatina	1	1
3a. Diphthera	1	4	3	...	2	4	1	1	16
4. Quinsy
5. Croup.....	...	7	5	3	4	1	20
6. Whooping-cough.....	28	14	4	1	47
7. Typhoid (and Infantile Fever).	...	2	2	1	1	7	2	4	10	2	2	1	...	1	1	36
8. Erysipelas	1	1	1	3
9. Metria	1	...	1	2
10. Carbuncle
11. Influenza
12. Dysentery.....	2	1	2	1	...	1	1	1	9
13. Diarrhoea	49	17	1	1	1	2	...	1	1	2	1	...	1	...	2	1	...	79
14. Cholera	3	4	1	...	1	9
15. Ague	1
16. Remittent Fever.....	1	4
17. Rheumatism.....	1	1	1	1	1
18. Pyæmia	1	1
	84	49	16	5	8	14	3	4	12	3	6	2	2	7	4	2	3	...	3	1	...	228
ORDER 2.																						
1. Syphilis.....	1	1
2. Stricture of the Urethra
3. Hydrophobia
4. Glanders
	1	1
ORDER 3.																						
1. Privation	1	1	1	3
2. Want of Breast Milk...	7	7
3. Purpura and Scurvy	1	1
4. Alcoholism—
a. Del. Tremens
b. Intemperance	1	1	...	1	3
	7	1	1	1	2	1	1	14
ORDER 4.																						
1. Thrush	2	2
2. Worms, &c.
2a. Hydatid
	2	2
Total, Class I	94	50	16	5	8	14	3	4	12	3	6	2	3	8	4	2	5	1	4	1	...	245
CLASS II.—ORDER 1.																						
1. Gout	1	1	2	1
2. Dropsy	1	1	1	...	1	3	1	3	1	2	2	1	13
3. Cancer	1	15
3a. Tumour
3b. Polypus
4. Noma.....
5. Mortification
	1	2	1	...	2	4	3	4	1	4	5	1	28
ORDER 2.																						
1. Scrofula.....	3	...	1	1	5
2. Tabes Mesenterica	10	4	1	15
3. Phthisis	2	1	1	1	...	2	2	7	10	4	5	5	7	5	3	3	58
3a. Hæmoptysis
4. Hydrocephalus	1	1
5. Abscess	1	1
	16	6	3	2	...	2	2	7	10	4	5	5	7	5	3	3	80
Total, Class II	16	6	3	2	1	2	2	7	12	5	5	7	11	8	7	4	4	5	1	108

F 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III.—ORDER 1.																						
1. Cephalitis.....	8	2	1	2	1	1	1	...	2	2	1	...	2	1	...	16
2. Apoplexy.....	1	1	...	1	2	...	1	2	3	1	1	...	13
3. Paralysis.....	1	1	...	1	2	3	1	1	...	10
4. Insanity.....
5. Chorea.....
6. Epilepsy.....	1	1	1	1	1	1	1	6
7. Convulsions.....	24	4	3	31
8. Brain Disease, &c.....	1	1	...	1	1	2	...	3	...	1	1	11
	33	7	4	1	1	3	3	2	3	3	4	5	2	2	4	5	3	2	...	87
ORDER 2.																						
1. Pericarditis.....
2. Aneurism.....
3. Heart Disease, &c.....	...	1	1	2	1	1	2	...	1	2	3	4	3	3	2	1	...	27
	...	1	1	2	1	1	2	...	1	2	3	4	3	3	2	1	...	27
ORDER 3.																						
1. Laryngitis.....	2	2
2. Bronchitis.....	10	6	1	...	2	1	1	3	2	4	3	1	...	34
3. Pleurisy.....	1	1	2
4. Pneumonia.....	5	5	1	1	2	3	1	1	1	20
4a. Congestion of the Lungs—Pulmonary.	3	3	1	1	...	1	9
5. Asthma.....	1	1	...	2
6. Lung Disease, &c.....	2	2	1	3	1	1	10
	21	16	5	...	2	2	2	3	1	3	2	4	3	3	5	5	2	...	79
ORDER 4.																						
1. Gastritis.....	6	6	1	13
2. Enteritis.....	9	10	1	1	...	1	1	1	1	1	26
3. Peritonitis.....	...	1	1	...	1	4
4. Ascites.....
5. Ulceration of Intestines
6. Hernia.....
7. Ileus.....	1	1	2
8. Intussusception.....
9. Stricture of Intestines..	1	1
10. Fistula.....
11. Stomach Disease, &c....	2	2
12. Pancreas Disease, &c....
13. Hepatitis.....	4	1	1	6
14. Jaundice.....	1	1
15. Liver Disease, &c.....	1	1	2	2	2	4	3	2	3	1	21
16. Spleen Disease, &c.....	1	1
	23	17	1	1	...	2	4	3	6	4	5	3	5	2	1	77
ORDER 5.																						
1. Nephritis.....	1	1	2
2. Ischuria.....
3. Nephria.....	1	1	...	2	3	7
4. Diabetes.....	1	1
5. Stone.....
6. Cystitis.....
7. Kidney Disease, &c.....	1	1	2
	1	...	1	1	...	1	2	1	1	3	...	1	12
ORDER 6.																						
1. Ovarian Dropsy.....	1	1
2. Uterus Disease, &c.....
	1	1
ORDER 7.																						
1. Arthritis.....
1a. Ostitis, Periostitis, &c.
2. Joint Disease, &c.....

ORDER 8.																						
1. Phlegmon.....	1	1
2. Ulcer.....	...	1	1
3. Skin Disease, &c.....
	...	1	1	2
Total, Class III.....	78	42	11	1	3	5	8	5	5	9	8	9	12	16	13	18	12	15	10	5	...	285

F 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth	14	14
2. Cyanosis	2	2
3. Spina Bifida
4. Other Malformations ...	2	2
5. Teething	16	7	23
	34	7	41
ORDER 2.																						
1. Paramenia	2	4	1	1	1	9
2. Childbirth (See Metria)	2	4	1	1	1	9
	2	4	1	1	1	9
ORDER 3.																						
1. Old Age	2	3	6	6	..	17
ORDER 4.																						
1. Atrophy and Debility...	69	4	73
Total, Class IV	103	11	2	4	1	1	1	2	3	6	6	...	140
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions
2. Wounds { a Gunshot
{ b Cuts.....
3. Burns and Scalds	1	...	1	1	3
3a. Sunstroke
4. Poison	1	1
4a. Bite of Snake or Insect
5. Drowning	1	3	1	2	1	8
6. Suffocation	2	1	3
7. Otherwise
	3	3	1	3	1	1	...	1	...	1	1	15
ORDER 2.—VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise

ORDER 3.—HOMICIDE.																						
1. Murder & Manslaughter	1	1
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot.....
{ Cut, Stab,&c.
2. Poison
3. Drowning
4. Hanging
5. Otherwise

ORDER 5.—EXECUTION.																						
1. Hanging
Violent Deaths (not classed)
Total, Class V.	4	3	1	3	1	1	...	1	...	1	1	16
Sudden Deaths (cause un- ascertained).
Causes not specified or ill- defined.
GRAND TOTALS.....	295	109	30	8	12	24	14	19	32	22	20	20	27	33	25	24	23	24	21	12	...	794

F 3.

DEATHS from all causes of BOTH SEXES, at different ages, registered in the SURURBAN DISTRICTS, from 1st January to 31st December, 1878.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.																						
1. Small-pox.....
1a. Chicken-pox.....
2. Measles.....
3. Scarletina.....	...	1	1
3a. Diphtheria.....	2	6	3	4	3	5	1	...	1	1	1	27
4. Quinsy.....
5. Croup.....	2	13	14	5	8	7	49
6. Whooping-cough.....	43	24	7	2	1	77
7. Typhoid (and Infantile Fever). 8. Erysipelas.....	4	4	2	2	3	13	5	7	12	2	3	3	1	2	3	1	67
9. Metria.....	4	1	...	1	1	1	1	...	1	...	8
10. Carbuncle.....	1	...	1	2
11. Influenza.....
12. Dysentery.....	4	5	2	...	2	3	2	...	1	...	1	1	1	...	1	3	...	1	2	28
13. Diarrhœa.....	84	34	2	1	1	...	1	2	4	...	1	2	1	1	1	...	6	1	...	142
14. Cholera.....	3	5	1	1	1	1	11
15. Ague.....
16. Remittent Fever.....	1	...	1	1	1	1	1	1	1	1	2
17. Rheumatism.....	1	1	1	1	1	1	7
18. Pyæmia.....	...	1	1	2
	147	93	31	14	18	28	8	7	16	5	9	5	5	8	6	5	3	3	10	2	...	423
ORDER 2.																						
1. Syphilis.....	3	3
2. Stricture of the Urethra
3. Hydrophobia.....
4. Glanders.....
	3	3
ORDER 3.																						
1. Privation.....	1	...	1	1	1	4
2. Want of Breast Milk...	24	1	25
3. Purpura and Scurvy...	...	1	1
4. Alcoholism— a. Del. Tremens..... b. Intemperance.....	1	1	...	1	3
	24	2	1	1	...	1	2	1	1	33
ORDER 4.																						
1. Thrush.....	5	1	6
2. Worms, &c.
2a. Hydatid.....
	5	1	6
Total, Class I.....	179	96	31	14	18	28	8	7	16	5	9	5	6	9	6	6	5	4	11	2	...	465
CLASS II.—ORDER 1.																						
1. Gout.....	1	2	2
2. Dropsy.....	1	1	1	1	...	2	1	5	1	...	2	2	1	19
3. Cancer.....	1	1	1	...	1	4	1	6	1	2	3	1	21
3a. Tumour.....
3b. Polypus.....
4. Noma.....	1
5. Mortification.....	1
	1	1	2	2	1	3	5	6	7	2	5	5	2	1	...	43
ORDER 2.																						
1. Scrofula.....	3	1	1	2	7
2. Tabes Mesenterica.....	18	12	1	31
3. Phthisis.....	2	2	1	1	...	2	2	7	18	16	14	14	19	14	9	6	4	131
3a. Hæmoptysis.....	1	1	1	3
4. Hydrocephalus.....	2	2	4
5. Abscess.....	1	1	1	1	4
	26	17	3	3	...	2	3	9	18	16	14	14	19	14	10	7	4	1	180
Total, Class II.....	26	17	3	3	1	2	3	10	20	18	15	17	24	20	17	9	9	6	2	1	...	223

F 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.																						
1. Cephalitis	17	7	2	4	1	1	...	1	1	1	35
2. Apoplexy	1	3	1	1	7	3	3	3	2	3	1	...	28
3. Paralysis	1	1	1	1	...	1	...	2	3	3	7	...	20
4. Insanity
5. Chorea
6. Epilepsy	1	3	1	1	1	1	1	...	1	...	1	...	11
7. Convulsions	65	16	7	1	1	90
8. Brain Disease, &c.	2	1	1	1	...	2	4	1	1	2	2	4	...	2	4	1	1	1	...	30
	84	24	10	2	2	9	6	1	1	3	5	6	6	11	4	6	9	8	7	10	...	214
ORDER 2.																						
1. Pericarditis
2. Aneurism	1	2	1	1	5
3. Heart Disease, &c.	2	1	2	3	3	1	4	...	2	5	6	9	4	9	4	7	...	62
	3	1	2	3	3	1	4	...	2	7	7	10	4	9	4	7	...	67
ORDER 3.																						
1. Laryngitis.....	1	...	3	1	2	1	8
2. Bronchitis.....	25	10	5	1	3	1	1	1	4	3	6	8	2	...	70
3. Pleurisy	1	1	2	2	6
4. Pneumonia	14	9	3	1	...	1	3	4	2	1	...	2	1	1	4	3	2	1	4	56
4a. Congestion of the Lungs—Pulmonary.	9	3	1	1	1	1	...	1	1	...	1	19
5. Asthma	2	1	...	3
6. Lung Disease, &c.	3	4	1	...	1	...	1	...	3	2	1	...	2	18
	53	26	12	3	4	4	4	4	5	3	1	2	5	6	8	8	8	7	14	3	...	180
ORDER 4.																						
1. Gastritis	8	8	1	1	1	1	20
2. Enteritis	29	14	1	...	2	2	1	...	2	2	1	1	1	1	1	1	59
3. Peritonitis	1	1	...	1	1	...	1	1	6
4. Ascites	1	1
5. Ulceration of Intestines
6. Hernia	1	1
7. Ileus	1	1	1	3
8. Intussusception	1	1
9. Stricture of Intestines..	1	1
10. Fistula
11. Stomach Disease, &c....	3	1	1	...	5
12. Pancreas Disease, &c....
13. Hepatitis	5	1	1	1	1	2	1	1	1	...	14
14. Jaundice	1	1	...	1	1	...	1	1	1	...	6
15. Liver Disease, &c	1	1	1	2	3	2	4	4	2	4	2	3	...	1	...	30
16. Spleen Disease, &c.....	1	1
	49	23	1	1	3	3	2	1	4	5	5	7	5	7	6	7	5	7	3	4	...	148
ORDER 5.																						
1. Nephritis	1	1	1	1	3
2. Ischuria.....	1
3. Nephria.....	1	...	1	1	...	1	3	1	...	1	1	1	3	1	15
4. Diabetes	1	1	...	2
5. Stone	1	1
6. Cystitis	2	2
7. Kidney Disease, &c.	1	1	...	1	...	1	1	...	1	6
	2	...	2	1	1	2	4	1	1	1	2	4	5	1	1	1	1	...	30
ORDER 6.																						
1. Ovarian Dropsy	1
2. Uterus Disease, &c.....	1
	1	1
ORDER 7.																						
1. Arthritis
1a. Ostitis, Periostitis, &c.
2. Joint Disease, &c.....

ORDER 8.																						
1. Phlegmon
2. Ulcer	1	1	2
3. Skin Disease, &c.....	1	1	2
	1	1	1	1	4
Total, Class III.	192	75	25	6	9	16	15	10	15	16	16	16	19	34	29	37	27	32	30	25	...	644

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth	28	28
2. Cyanosis	3	3
3. Spina Bifida	1	1
4. Other Malformations ...	2	2
5. Teething	21	16	37
	55	16	71
ORDER 2.																						
1. Paramenia.....
2. Childbirth (See Metria)	2	4	1	1	1	9
	2	4	1	1	1	9
ORDER 3.																						
1. Old Age	5	5	8	21	1	40
ORDER 4.																						
1. Atrophy and Debility..	128	10	138
Total, Class IV.....	183	26	2	4	1	1	1	5	5	8	21	1	258
CLASS V.—ORDER 1.—																						
ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	2	2	2	1	1	1	1	2	...	1	...	2	...	15
2. Wounds { a Gunshot...
b Cuts
3. Burns and Scalds	1	...	1	1	1	...	1	1	6
3a. Sunstroke	1	...	1	2
4. Poison	1	1
4a. Bite of Snake or Insect
5. Drowning	2	2	4	4	2	2	2	...	1	19
6. Suffocation	7	1	1	1	10
7. Otherwise.....
	10	3	1	1	...	6	6	3	2	2	2	3	1	2	4	2	1	1	...	2	1	53
ORDER 2.—																						
VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise.....

ORDER 3.—HOMICIDE.																						
Murder and Man-slaughter.	1	1

ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot.....
Cut, Stab,&c.	1	1	...	2
2. Poison
3. Drowning
4. Hanging	1	1	...	2
5. Otherwise.....
	1	1	2	...	4
ORDER 5.—EXECUTION.																						
1. Hanging
Violent Deaths (not classed)
Total, Class V	11	3	1	1	...	6	6	3	2	2	2	3	2	2	4	2	1	1	1	4	1	58

Causes not specified or ill-defined.	1	...	1	1	3
GRAND TOTALS...	591	217	60	24	28	52	32	30	55	45	43	43	52	66	57	54	47	48	52	53	2	1651

G 1.

DEATHS from all causes, of MALES at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1878.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.																						
1. Small-pox
1a. Chicken-pox
2. Measles	3	1	1	...	1	1	7
3. Scarlatina	10	9	11	9	16	28	7	2	2	2	1	1	98
3a. Diphthera	1	2	...	1	1	1	6
4. Quinsy	14	19	22	10	12	13	90
5. Croup	60	14	5	3	3	5	90
6. Whooping-cough	9	8	1	7	2	14	8	14	20	14	10	11	2	5	4	4	2	3	2	...	2	142
7. Typhoid (and Infantile Fever).	4	1	2	3	1	11
8. Erysipelas
9. Metria
10. Carbuncle
11. Influenza	3	1	2	1	3	10
12. Dysentery	28	14	4	4	1	2	3	6	3	4	3	4	2	4	3	10	...	97
13. Diarrhœa	116	32	2	1	...	2	...	1	2	2	...	1	1	1	2	1	5	2	4	7	3	183
14. Cholera	10	2	1	1	2	1	1	18
15. Ague	1	1
16. Remittent Fever	6	3	2	1	1	...	2	1	...	1	1	1	19
17. Rheumatism	2	2	...	3	2	2	1	1	1	1	1	1	...	17
18. Pyæmia	1	1	1	3
	261	107	49	34	35	69	21	22	27	18	15	20	8	15	13	12	16	12	15	18	5	792
ORDER 2.																						
1. Syphilis	3	1	1	1	1	...	7
2. Stricture of the Urethra	1	1	1	...	3
3. Hydrophobia
4. Glanders
	3	1	1	2	1	2	...	10
ORDER 3.																						
1. Privation	3	1	2	...	3	4	2	5	4	9	7	1	1	1	...	3	46
2. Want of Breast Milk	18	2	20
Purpura and Scurvy	1	1	2
4. Alcoholism—
a. Del. Tremens	1	3	1	2	4	2	1	1	15
b. Intemperence	1	2	3	6	5	5	1	5	6	1	...	1	36
	18	2	3	1	2	1	7	7	7	15	11	16	8	6	9	2	...	4	119
ORDER 4.																						
1. Thrush	15	15
2. Worms, &c.
2a. Hydatid	1	1
	15	1	16
Total, Class I	297	109	49	35	35	72	22	24	28	25	22	28	24	28	29	20	23	21	17	20	9	937
CLASS II.—ORDER 1.																						
1. Gout	1	2
2. Dropsy	1	1	1	1	1	3	1	3	6	6	5	8	6	10	...	54
3. Cancer	2	...	1	1	...	2	6	4	7	7	10	17	8	5	7	...	77
3a. Tumour	1	1
3b. Polypus
4. Noma
5. Mortification	2	1	2	...	1	1	1	2	...	10
	1	1	1	3	1	2	3	1	2	9	7	10	15	17	23	17	11	19	1	144
ORDER 2.																						
1. Scrofula	5	1	1	1	1	1	...	2	1	1	1	1	...	16
2. Tabes Mesenterica	21	16	...	2	39
3. Phthisis	2	1	1	3	3	13	23	28	21	26	27	21	18	10	7	5	...	1	...	211
3a. Hæmoptysis	1	1	1	3
4. Hydrocephalus	3	3	1	7
5. Abscess	1	1
	31	21	1	3	2	4	4	14	24	30	22	26	28	21	18	12	8	5	...	2	1	277
Total, Class II	32	22	2	3	2	7	5	16	27	31	24	35	35	31	33	29	31	22	11	21	2	421

G 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.																						
1. Cephalitis	16	5	3	2	...	1	3	1	3	1	1	1	37
2. Apoplexy	3	1	1	...	2	3	1	1	5	8	3	5	10	9	8	4	4	...	68
3. Paralysis	1	...	1	2	1	1	4	3	4	3	4	13	7	9	11	...	64
4. Insanity	1	1	2	4	9	3	3	1	4	5	...	1	...	35
5. Chorea
6. Epilepsy	1	...	1	...	1	1	...	2	1	5	2	2	3	2	...	1	1	23
7. Convulsions	193	28	3	224
8. Brain Disease, &c.	19	6	...	1	...	4	3	3	3	5	3	8	8	7	8	2	8	3	1	92
	231	40	6	3	1	7	7	6	10	9	8	26	30	22	21	20	38	25	14	17	2	543
ORDER 2.																						
1. Pericarditis	1	...	2	...	1	...	2	...	1	1	8
2. Aneurism	1	1	2	1	3	4	7	4	3	1	1	28
3. Heart Disease, &c.	1	1	...	1	1	3	7	2	2	5	12	12	26	19	30	24	19	22	25	9	2	223
	1	1	...	1	1	4	7	4	3	7	14	15	29	24	38	28	22	23	26	9	2	259
ORDER 3.																						
1. Laryngitis.....	2	1	1	1	1	1	7
2. Bronchitis.....	44	16	9	11	3	7	2	...	1	1	1	5	3	7	3	6	8	7	5	14	...	153
3. Pleurisy	1	2	1	3	...	1	1	...	1	...	10
4. Pneumonia	17	7	3	4	...	2	2	5	6	8	6	11	5	12	12	3	10	3	6	4	1	127
4a. Congestion of the Lungs—Pulmonary.	...	1	1
5. Asthma.....	1	2	3	...	1	1	3	5	...	16
6. Lung Disease, &c.	17	7	3	1	3	9	3	3	4	5	1	5	10	12	5	7	13	4	3	1	...	116
	80	32	15	17	6	19	7	8	11	14	9	24	21	32	26	17	33	16	17	25	1	430
ORDER 4.																						
1. Gastritis	12	9	2	1	1	25
2. Enteritis	30	2	...	1	...	3	3	6	1	2	2	2	2	2	1	...	3	5	3	2	...	70
3. Peritonitis.....	1	1	1	1	2	2	2	1	1	12
4. Ascites	1	1	1	1	1	...	5
5. Ulceration of Intestines
6. Hernia	2	1	2	2	1	8
7. Ileus	4	1	1	1	1	1	9
8. Intussusception	1	1	2
9. Stricture of Intestines	1	1	1	1	1	...	1	3	...	4	...	13
10. Fistula	1	1
11. Stomach Disease, &c....	5	2	2	...	1	1	2	...	1	1	15
12. Pancreas Disease, &c....	1	1	2
13. Hepatitis	2	1	...	3	4	1	3	2	2	...	2	20
14. Jaundice	6	1	1	1	1	2	2	1	1	16
15. Liver Disease, &c.	1	...	1	2	...	1	...	3	...	1	2	5	10	9	3	9	5	5	2	1	60
16. Spleen Disease, &c.....	1	1	1	3
	62	16	...	2	3	7	9	6	9	4	7	10	15	19	17	10	18	19	17	10	1	261
ORDER 5.																						
1. Nephritis	1	1	...	2	4
2. Ischuria.....	1	1	2
3. Nephria.....	1	1	1	...	1	2	1	1	4	1	2	15
4. Diabetes	1	1	1	4
5. Stone	1	1	2	1	1	1	8
6. Cystitis.....	1	1	1	1	5	3	2	2	16
7. Kidney Disease, &c.	1	1	1	1	1	2	1	2	2	3	2	3	...	19
	1	1	1	...	1	1	2	...	1	1	1	4	4	7	7	6	11	8	4	5	2	68
ORDER 7.																						
1. Arthritis	1	1
1a. Ostitis, Periostitis, &c.	2	...	1	...	1	1	2	1	8
2. Joint Disease, &c.
	1	2	...	1	...	1	1	2	1	9
ORDER 8.																						
1. Phlegmon
2. Ulcer
3. Skin Disease, &c.....	1	1	1	3
	1	1	1	3
Total, Class III.....	376	91	22	23	12	39	34	24	36	35	40	79	99	105	111	82	122	91	78	66	8	1573

G 1—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth.....	85	85
2. Cyanosis
3. Spina Bifida.....	1	1
4. Other Malformations...	3	3
5. Teething	84	61	145
	173	61	234
ORDER 3.																						
1. Old Age	36	43	82	202	...	363
ORDER 4.																						
1. Atrophy and Debility..	124	18	...	1	143
Total, Class IV.....	297	79	...	1	36	43	82	202	...	740
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	1	1	1	17	15	11	12	14	19	20	16	16	13	9	5	2	2	4	2	180
2. Wounds { a Gunshot	1	1	1	3	2	...	1	1	1	1	...	1	1	...	1	15
{ b Cuts.....	2	1	2	2	1	8
3. Burns and Scalds	4	7	5	3	2	1	2	1	...	3	1	30
3a. Sunstroke	1	1	...	2	3	1	1	1	10
4. Poison	1	1	...	3	2	3	4	1	2	1	18
4a. Bite of Snake or Insect	1	1
5. Drowning	1	12	4	4	1	20	14	10	18	16	13	11	9	13	7	6	6	...	3	...	8	176
6. Suffocation	3	...	2	1	...	1	...	1	2	2	1	1	1	...	4	...	1	20
7. Otherwise	1	...	1	1	3
	11	20	12	7	4	40	33	25	35	33	37	37	34	38	25	18	18	8	7	7	12	461
ORDER 2.—VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise.....

ORDER 3.—HOMICIDE. Murder & Manslaughter	2	2	...	1	2	1	...	1	...	1	10
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot.....
{ Cut, Stab,&c.	2	2
2. Poison	1	1	...	1	3
3. Drowning	1	1	2
4. Hanging	1	1	...	1	...	1	...	2	6
5. Otherwise.....	1	1
	1	...	2	1	1	3	...	2	1	3	14
ORDER 5.—EXECUTION.																						
1. Hanging	1	1
Violent Deaths (not classed)
Total, Class V.....	13	20	12	7	4	40	33	25	36	35	39	40	37	41	25	20	20	11	8	7	13	486
Sudden Deaths (causes un- ascertained).
Causes not specified or ill- defined.	1	1	1	2	2	1	...	1	8	17
GRAND TOTAL.....	1,015	321	85	69	53	159	94	89	127	126	125	183	196	207	200	152	232	189	196	316	40	4,174

G 2.

DEATHS from all causes, of FEMALES at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1878.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.																						
1. Small-pox
1a. Chicken-pox	1	1
2. Measles	1	3	...	1	1	4	2	1
3. Scarlatina	12	11	21	14	7	21	17	2	2	1	1	1	1	...	111
3a. Diphtheria	1	...	1	...	1	3
4. Quinsy	11	19	11	11	11	14	2	79
6. Whooping-cough	60	24	8	5	4	4	2	...	1	108
7. Typhoid (and Infantile Fever)	18	10	6	2	4	9	11	25	11	12	5	2	5	4	1	2	1	1	129
8. Erysipelas	3	1	1	1	1	1	1	...	9
9. Metria	5	6	2	...	1	14
10. Carbuncle
11. Influenza	3	1	...	1	1	6
12. Dysentery	19	10	4	2	1	4	1	2	1	1	3	1	1	1	...	2	5	4	2	3	...	67
13. Diarrhoea	96	37	5	2	2	2	3	1	...	1	1	1	...	2	3	3	1	1	...	161
14. Cholera	10	5	1	...	1	2	...	1	1	...	1	...	1	1	24
15. Ague
16. Remittent Fever	3	9	1	13
17. Rheumatism	1	3	2	2	1	1	1	11
18. Pyæmia
	236	131	60	38	32	61	43	33	22	22	12	5	9	8	2	6	10	9	3	6	1	749
ORDER 2.																						
1. Syphilis
2. Stricture of the Urethra
3. Hydrophobia
4. Glanders

ORDER 3.																						
1. Privation	2	1	1	4
2. Want of Breast Milk	20	1	21
3. Purpura and Scurvy
4. Alcoholism—
a. Del. Tremens	1	...	1	2
b. Intemperance	1	1	2
	20	1	2	2	...	1	1	1	1	29
ORDER 4.																						
1. Thrush	11	2	13
2. Worms, &c.
2a. Hydatid	1	1	2
	11	2	1	1	15
Total, Class I	267	134	60	38	33	61	43	33	22	23	14	7	9	9	3	7	11	9	3	6	1	793
CLASS II.—ORDER 1.																						
1. Gout	1	3	1	...	3	4	3	1	2	4	4	3	2	...	1
2. Dropsy	1	2	3	6	8	7	6	7	4	5	1	2	...	30
3. Cancer	52
3a. Tumour
3b. Polypus
4. Noma	1	1
5. Mortification	1	1	...	1	1	4
	...	1	2	1	...	3	3	3	9	12	10	10	11	9	9	3	2	...	88
ORDER 2.																						
1. Scrofula	2	2
2. Tabes Mesenterica	32	12	1	45
3. Phthisis	2	1	12	19	19	19	16	6	12	5	7	6	...	1	125
3a. Haemoptysis
4. Hydrocephalus	7	3	1	1	12
5. Abscess	1	1
	41	15	2	1	...	2	1	12	19	19	19	16	6	12	5	8	6	...	1	185
Total, Class II	41	16	2	1	...	4	2	12	22	22	22	25	18	22	15	19	15	9	4	2	...	273

G 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified	Total.
CLASS III.—ORDER 1.																						
1. Cephalitis	17	15	5	1	2	2	2	4	1	...	1	1	1	52
2. Apoplexy	2	...	2	1	2	3	2	3	1	6	3	1	3	3	1	1	34
3. Paralysis	1	2	...	1	3	1	1	2	2	3	7	1	5	...	29
4. Insanity	1	1	1	1	2	1	2	1	...	12
5. Chorea
6. Epilepsy	1	2	3
7. Convulsions	164	40	3	5	3	2	207
8. Brain Disease, &c.	2	2	2	2	2	1	2	2	1	1	...	23
	183	56	10	1	2	2	4	7	6	7	7	9	5	7	11	8	8	12	5	8	2	360
ORDER 2.																						
1. Pericarditis	1	1	1	1	3
2. Aneurism	1	...	1	5	...	1	1	1	5
3. Heart Disease, &c.	1	1	4	2	7	5	5	10	6	11	8	5	6	5	7	1	3	...	87
	1	1	1	...	1	4	2	8	6	5	10	7	11	8	6	6	6	8	1	3	...	95
ORDER 3.																						
1. Laryngitis.....	1	1	2
2. Bronchitis.....	43	15	7	4	6	6	2	4	2	3	1	...	2	2	4	4	1	7	...	116
3. Pleurisy	1	1	2
4. Pneumonia	26	11	7	2	4	4	2	5	1	5	4	6	8	8	2	3	1	1	1	4	1	106
4a. Congestion of the Lungs—Pulmonary.	1	1	2
5. Asthma	2	3	2	...	2	9
6. Lung Disease, &c.	1	2	...	1	1	1	6
	70	26	14	6	12	12	4	11	4	8	9	6	11	8	7	8	5	7	3	11	1	243
ORDER 4.																						
1. Gastritis	10	2	...	2	1	2	...	1	1	19
2. Enteritis	19	7	1	2	2	3	1	4	1	6	3	2	1	2	1	2	1	58
3. Peritonitis	2	1	2	4	2	...	1	...	1	...	1	14
4. Ascites	1	1
5. Ulceration of Intestines	1	1
6. Hernia	1	1	...	2	4
7. Ileus	1	1	1	3
8. Intussusception	2	1	3
9. Stricture of Intestines	1	1	2
10. Fistula
11. Stomach Disease, &c....	3	1	...	1	1	...	1	1	8
12. Pancreas Disease, &c....
13. Hepatitis	2	1	1	...	1	1	1	...	2	9
14. Jaundice	4	1	1	1	1	1	...	1	...	1	2	12
15. Liver Disease, &c.	1	1	2	...	2	3	2	5	3	6	2	7	1	2	1	38
16. Spleen Disease, &c.	1	1
	40	9	3	2	...	4	6	9	7	10	7	12	12	8	10	8	12	7	3	4	...	173
ORDER 5.																						
1. Nephritis	2	1	1	4
2. Ischuria	1	1
3. Nephria	1	1	1	3
4. Diabetes	1	1
5. Stone
6. Cystitis	1	1	1	...	3
7. Kidney Disease, &c.	1	...	1	1	1	1	1	...	6
	1	1	3	1	...	3	3	1	...	2	1	2	18
ORDER 6.																						
1. Ovarian Dropsy
2. Uterus Disease, &c.	1	1
	1	1
ORDER 7.																						
1. Arthritis
1a. Ostitis Periostitis, &c.
2. Joint Disease, &c.

ORDER 8.																						
1. Phlegmon
2. Ulcer	1	1
3. Skin Disease, &c.	1	1
	1	1	2
Total, Class III	295	92	28	9	15	22	17	36	27	31	33	38	42	32	34	32	32	34	12	28	3	892

G 2—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth	84	84
2. Cyanosis	1	1
3. Spina Bifida
4. Other Malformations ...	4	4
5. Teething	50	55	105
	138	56	194
ORDER 2.																						
1. Paramenia	1
2. Childbirth (See Metria)	7	6	13	11	13	10	3	63
	7	6	13	11	13	11	3	64
ORDER 3.																						
1. Old Age.....	16	19	30	89	...	154
ORDER 4.																						
1. Atrophy and Debility...	120	16	1	137
Total, Class IV....	258	72	1	7	6	13	11	13	11	3	16	19	30	89	...	549
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	3	1	...	1	1	3	3	...	2	3	...	1	2	1	...	2	23
2. Wounds { a Gunshot
b Cuts.....
3. Burns and Scalds	1	4	4	6	3	6	4	2	...	1	...	1	2	...	1	1	1	37
3a. Sunstroke	1	1	1	1	...	1	1	6
4. Poison	1	3	1	1	1	7
4a. Bite of Snake or Insect	1	4	1	6
5. Drowning	5	1	1	...	4	1	2	1	2	1	1	...	1	1	21
6. Suffocation	3	1	4
7. Otherwise
	9	11	5	8	4	18	9	4	6	7	2	4	3	2	4	3	1	2	1	...	1	104
ORDER 2.— VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise
ORDER 3.—HOMICIDE. Murder and Manslaughter	1	1	2
ORDER 4.—SUICIDE.																						
1. Wounds { Gunshot
Cut, Stab,&c.
2. Poison
3. Drowning
4. Hanging
5. Otherwise
ORDER 5.—EXECUTION.																						
1. Hanging
Violent Deaths (not classed)
Total, Class V.....	9	11	5	8	4	18	9	4	6	7	2	4	3	2	5	3	1	2	2	...	1	106
Sudden Deaths (cause unascertained).
Causes not specified or ill- defined.	1	...	1	1	...	1	4
GRAND TOTALS ...	870	325	96	56	52	105	71	92	83	97	82	88	83	68	57	62	75	74	51	125	5	2617

G 3.

DEATHS from all Causes, of BOTH SEXES, at different ages, registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1878.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS I.—ORDER 1.																						
1. Small-pox
1a. Chicken-pox	1	1
2. Measles	1	6	1	2	1	5	3	19
3. Scarlatina	22	20	32	23	23	49	24	4	4	3	2	1	...	1	1	...	209
3a. Diphtheria	1	...	1	2	1	1	2	1	9
4. Quinsy	25	38	33	21	23	27	2	169
5. Croup	120	38	13	8	7	9	2	...	1	198
6. Whooping-cough	27	18	7	9	6	23	19	39	31	26	15	13	7	9	5	6	3	4	2	...	2	271
7. Typhoid (and Infantile Fever).	7	1	1	1	...	1	1	2	1	...	3	1	...	1	...	20
8. Erysipelas	5	6	2	...	1	14
9. Metria
10. Carbuncle	6	1	...	1	1	1	2	1	3	16
11. Influenza	47	24	8	2	1	8	2	4	1	3	6	7	4	5	3	6	7	8	5	13	...	164
12. Dysentery	212	69	7	3	2	4	3	2	2	1	1	2	1	3	2	1	8	5	5	8	3	344
13. Diarrhœa	20	7	2	...	1	2	...	1	1	...	2	2	2	1	...	1	42
14. Cholera	1	1
15. Ague	9	12	2	1	...	1	1	...	2	1	...	1	1	1	32
16. Remittent Fever	2	1	...	2	...	6	4	4	1	...	1	1	2	2	1	1	...	28
17. Rheumatism	1	1	1	3
18. Pyæmia	497	238	109	72	67	130	64	55	49	40	27	25	17	23	15	18	26	21	18	24	6	1,541
ORDER 2.																						
1. Syphilis	3	1	1	1	1	7
2. Stricture of the Urethra	1	1	1	...	3
3. Hydrophobia
4. Glanders	3	1	1	2	1	2	...	10
ORDER 3.																						
1. Privation	3	1	2	...	3	6	3	5	4	10	7	1	1	1	...	3	50
2. Want of Breast Milk	38	3	1	1	41
3. Purpura and Scurvy	2
4. Alcoholism—
a. Del. Tremens	1	3	1	3	4	3	1	1	17
b. Intemperance	1	1	2	3	6	5	5	2	6	6	1	...	1	...	38
	38	3	3	1	2	1	7	9	9	15	12	17	9	7	9	2	...	4	148
ORDER 4.																						
1. Thrush	26	2	28
2. Worms, &c.
2a. Hydatid	1	1	...	1	3
	26	2	1	1	...	1	31
Total, Class I	564	243	109	73	68	133	65	57	50	48	36	35	33	37	32	27	34	30	20	26	10	1,730
CLASS II.—ORDER 1.																						
1. Gout	1	2	1	3
2. Dropsy	1	1	1	2	1	...	3	1	...	6	5	6	8	10	9	11	8	10	1	84
3. Cancer	2	1	1	1	2	5	12	12	14	13	17	21	13	6	9	129
3a. Tumour	1	1
3b. Polypus
4. Noma	1	1
5. Mortification	1	2	1	2	...	2	1	2	1	...	2	...	14
	1	2	1	5	2	2	6	4	5	18	19	20	25	28	32	26	14	21	1	232
ORDER 2.																						
1. Scrofula	7	1	1	1	1	...	2	1	1	1	1	...	18
3. Tabes Mesenterica	53	28	1	2	84
3. Phthisis	2	1	1	5	4	25	42	47	40	42	33	33	23	17	13	5	1	1	1	336
3a. Hæmoptysis	1	1	1	3
4. Hydrocephalus	10	6	2	1	19
5. Abscess	1	1	2
	72	36	3	4	2	6	5	26	43	49	41	42	34	33	23	20	14	5	1	2	1	462
Total, Class II	73	38	4	4	2	11	7	28	49	53	46	60	53	53	48	48	46	31	15	23	2	694

G 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS III.—ORDER 1.																						
1. Cephalitis	33	20	8	3	2	3	5	4	1	...	2	4	1	1	1	1	89
2. Apoplexy	5	1	2	1	...	2	4	3	4	7	11	4	11	13	10	11	7	5	1	102
3. Paralysis	1	1	2	1	3	1	1	7	4	5	5	6	16	14	10	16	...	93
4. Insanity	1	2	1	2	5	10	5	4	3	6	5	...	2	1	47
5. Chorea
6. Epilepsy	1	...	1	...	1	1	1	4	1	5	2	2	3	2	...	1	1	26
7. Convulsions	357	68	6	431
8. Brain Disease, &c.	19	6	...	1	...	4	3	5	5	10	5	8	8	10	10	3	10	5	2	1	...	115
	414	96	16	4	3	9	11	13	16	16	15	35	35	29	32	28	46	37	19	25	4	903
ORDER 2.																						
1. Pericarditis	1	...	3	1	1	...	2	...	1	2	11
2. Aneurism	1	...	1	1	1	2	2	3	4	7	4	4	2	1	33
3. Heart Disease, &c.	1	2	...	1	2	7	9	9	7	10	22	18	37	27	35	30	24	29	26	12	2	310
	2	2	1	1	2	8	9	12	9	12	24	22	40	32	44	34	28	31	27	12	2	354
ORDER 3.																						
1. Laryngitis	2	1	1	1	1	1	1	1	9
2. Bronchitis	87	31	16	15	9	13	4	4	3	4	4	5	4	7	5	8	12	11	6	21	...	269
3. Pleurisy	1	1	1	...	2	1	3	...	1	1	...	1	...	12
4. Pneumonia	43	18	10	6	4	6	4	10	7	13	10	17	13	20	14	6	11	4	7	8	2	233
4a. Congestion of the Lungs—Pulmonary.	1	1	1	3
5. Asthma	1	2	2	...	6	2	1	3	3	5	25
6. Lung Disease, &c.	17	7	3	1	4	11	3	4	4	5	2	5	10	12	5	8	13	4	3	1	...	122
	150	58	29	23	18	31	11	19	15	22	18	30	32	40	33	25	38	23	20	36	2	673
ORDER 4.																						
1. Gastritis	22	9	...	2	...	4	1	2	...	1	...	1	1	...	1	44
2. Enteritis	49	9	1	1	...	5	5	9	2	6	3	8	5	4	2	2	4	7	4	2	...	128
3. Peritonitis	3	1	2	2	4	3	2	3	2	2	...	1	...	1	26
4. Ascites	1	1	1	...	1	1	1	...	6
5. Ulceration of Intestines	1	1
6. Hernia	2	1	1	2	1	...	2	2	1	12
7. Pileus	4	1	1	1	...	1	...	1	1	1	...	1	1	12
8. Intussusception	2	1	1	1	...	1	5
9. Stricture of Intestines...	1	1	1	1	1	1	1	...	1	3	...	5	...	15
10. Fistula	1	1
11. Stomach Disease, &c....	8	2	2	...	1	1	1	3	1	1	2	1	23
12. Pancreas Disease, &c....	1	1	2
13. Hepatitis	2	1	1	2	2	...	3	5	1	3	3	2	2	2	2	29
14. Jaundice	10	1	1	...	1	1	1	...	1	1	2	1	2	2	1	3	28
15. Liver Disease, &c.	1	1	1	2	...	2	2	3	2	4	4	10	13	15	5	16	6	7	3	1	98
16. Spleen Disease, &c.	2	1	4
	102	25	3	4	3	11	15	15	16	14	14	22	27	27	27	18	30	26	20	14	1	434
ORDER 5.																						
1. Nephritis	1	2	2	1	2	1	8
2. Ischuria	1	1	3
3. Nephria	1	1	1	...	1	1	...	3	1	1	4	2	2	18
4. Diabetes	1	...	1	1	1	1	1	5
5. Stone	1	1	2	1	1	1	1	8
6. Cystitis	1	1	1	1	1	1	1	1	5	3	2	3	19
7. Kidney Disease, &c.	1	...	1	1	1	1	2	2	1	3	3	3	2	4	25
	1	1	1	...	1	1	3	1	4	2	1	7	7	8	7	8	12	8	4	7	2	86
ORDER 6.																						
1. Ovarian Dropsy	1	1
2. Uterus Disease, &c.....	1
ORDER 7.																						
1. Arthritis	1	1
1a. Ostitis, Periostitis, &c.	2	...	1	...	1	1	2	1	8
2. Joint Disease, &c.	9
ORDER 8.																						
1. Phlegmon	1	1
2. Ulcer	2	1	1	4
3. Skin Disease, &c.	5
	2	1	2	5
Total, Class III.....	671	183	50	32	27	61	51	60	63	66	73	117	141	137	145	114	154	125	90	94	11	2465

G 3—continued.

CAUSES OF DEATH.	Under 1 year.	1 to 2 years.	2 to 3 years.	3 to 4 years.	4 to 5 years.	5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 to 70 years.	70 to 75 years.	75 years and upwards.	Ages not specified.	Total.
CLASS IV.—ORDER 1.																						
1. Premature Birth	169	169
2. Cyanosis	1	1
3. Spina Bifida	1	1
4. Other Malformations ...	7	7
5. Teething	134	116	250
	311	117	428
ORDER 2.																						
1. Paramenia	1	1
2. Childbirth (See Metria)	7	6	13	11	13	10	3	63
	7	6	13	11	13	11	3	64
ORDER 3.																						
1. Old Age.....	52	62	112	291	...	517
ORDER 4.																						
1. Atrophy and Debility...	244	34	1	1	280
Total, Class IV. ...	555	151	1	1	7	6	13	11	13	11	3	52	62	112	291	...	1289
CLASS V.—ORDER 1.— ACCIDENT OR NEGLIGENCE.																						
1. Fractures & Contusions	4	2	...	1	2	20	18	11	14	17	19	21	18	17	13	11	5	2	2	4	2	203
2. Wounds—																						
<i>a.</i> Gunshot.....	1	1	1	3	2	...	1	1	1	1	...	1	1	...	1	15
<i>b.</i> Cuts	2	1	...	2	2	1	8
3. Burns and Scalds.....	5	11	9	9	5	6	4	...	1	3	...	1	2	1	2	...	1	2	1	3	1	67
3 <i>a.</i> Sunstroke	1	2	2	1	2	1	3	1	1	1	1	16
4. Poison	1	1	3	2	1	3	2	3	5	1	2	1	25
4 <i>a.</i> Bite of Snake or Insect	1	4	1	...	1	7
5. Drowning	1	17	5	5	1	24	15	12	18	16	14	13	10	13	7	7	6	1	3	...	9	197
6. Suffocation	6	1	2	1	...	1	...	1	2	2	1	1	1	...	4	...	1	24
7. Otherwise.....	1	...	1	1	3
	20	31	17	15	8	58	42	29	41	40	39	41	37	40	29	21	19	10	8	7	13	565
ORDER 2.— VIOLENT DEATHS IN BATTLE.																						
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise
ORDER 3.—HOMICIDE.																						
1. Murder and Man- slaughter.	2	2	...	1	2	...	1	...	1	...	2	...	1	12
ORDER 4.—SUICIDE.																						
1. Wounds—																						
Gunshot.....
Cut, Stab, &c.	1	2	2
2. Poison	1	...	1	3
3. Drowning	1	...	1	2
4. Hanging	1	1	1	...	1	...	2	6
5. Otherwise.....	1	1
	1	...	2	1	1	3	...	2	1	3	14
ORDER 5.—EXECUTION.																						
1. Hanging	1	1
Violent Deaths (not classified).
Total, Class V.....	22	31	17	15	8	58	42	29	42	42	41	44	40	43	30	23	21	13	10	7	14	592
Causes not specified or ill- defined.	1	1	...	2	1	2	2	2	...	2	8	21
GRAND TOTALS	1885	646	181	125	105	264	165	181	210	223	207	271	279	275	257	214	307	263	247	441	45	6791

SUMMARY of DEATHS of BOTH SEXES registered in the Colony of New South Wales, during each Month of the Year 1878, classified under the heads of the several causes of Death.

CAUSES OF DEATH.		January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.		Total.		Grand Total.	Percentage on total Deaths of the Year.
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
I.—Zymotic Diseases.																													
1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.)..		147	128	106	95	127	116	147	161	144	140	100	96	99	78	65	74	51	55	66	85	79	81	99	100	1230	1209	2439	22·66
2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.)		2	...	2	1	...	4	2	2	1	3	1	1	1	1	...	1	1	17	6	23	0·21
3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.)		28	7	22	9	15	6	12	8	17	5	21	4	14	...	7	3	11	4	12	6	9	4	16	5	184	61	245	2·28
4. Parasitic Diseases—(Thrush, Worms, &c.)		3	1	...	1	1	3	2	7	4	...	1	1	2	...	2	...	2	...	2	3	7	3	2	2	28	21	49	0·46
Total		180	136	130	105	143	125	162	176	169	147	122	101	117	79	77	78	65	60	81	94	96	88	117	108	1459	1297		
II.—Constitutional Diseases.																													
1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.)		19	17	22	14	16	16	16	16	19	15	9	16	9	14	17	11	16	13	21	16	18	12	10	13	192	173	365	3·39
2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.).....		51	39	41	42	54	31	56	37	44	45	40	38	40	28	44	22	41	30	40	19	35	22	45	21	531	374	905	8·41
Total		70	56	63	56	70	47	72	53	63	60	49	54	49	42	61	33	57	43	61	35	53	34	55	34	723	547		
III.—Local Diseases.																													
1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis)		93	69	65	55	75	46	86	60	82	62	69	42	54	39	64	37	56	40	66	56	57	39	62	53	829	598	1427	13·26
2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease)		29	15	25	11	35	9	20	11	29	21	33	14	35	19	42	11	37	17	25	12	31	16	29	12	370	168	538	4·99
3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.)		41	32	42	25	46	26	44	27	82	51	65	41	60	44	76	51	66	46	55	34	30	27	38	30	645	434	1079	10·03
4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.).....		32	40	34	39	45	34	50	24	33	26	34	22	29	28	20	25	33	16	37	22	35	25	40	38	422	339	761	7·07
5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) ...		9	5	8	3	12	6	16	3	16	4	12	7	9	3	17	3	8	4	11	6	5	6	13	...	136	50	186	1·73
6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.)	1	2	1	...	3	...	1	8	8	0·07
7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.).....		3	4	...	1	2	...	1	11	...	11	0·10
8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease,&c.)		...	1	1	...	1	...	1	...	1	1	1	1	1	1	2	1	8	5	13	0·12
Total		207	162	175	134	214	121	217	125	247	165	215	128	187	134	220	128	202	124	195	133	160	115	182	133	2421	1602		
IV.—Developmental Diseases.																													
1. Diseases of Children—(Cyanosis, Teething, &c.)		36	40	33	27	33	37	38	22	37	26	23	25	23	26	16	17	19	10	19	17	17	17	23	25	317	289	606	5·63
2. Diseases of Adults—(Paramenia, Childbirth, &c.).....		...	6	...	4	...	3	...	9	...	7	...	9	...	8	...	8	...	8	...	9	...	9	...	6	...	86	86	0·80
3. Diseases of Old People—(Old Age, &c.)		42	19	36	15	21	13	30	12	42	15	56	27	43	20	45	16	24	19	30	25	28	14	31	12	428	207	635	5·90
4. Diseases of Nutrition—(Atrophy, Debility)		32	36	17	25	26	26	19	35	29	20	16	13	11	15	19	19	15	6	21	10	23	39	33	36	261	280	541	5·03
Total		110	101	86	71	80	79	87	78	108	68	95	74	77	69	80	60	58	43	70	61	68	79	87	79	1006	862		
V.—Violence.																													
1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.)		61	21	50	9	50	11	61	17	33	8	37	10	38	13	37	10	51	8	61	14	53	10	42	11	574	142	716	6·65
2. Homicide—(Murder and Manslaughter)		2	...	2	1	2	...	1	...	2	1	2	2	...	2	1	1	1	1	2	14	9	23	0·21
3. Suicide—(Poison, Drowning, Hanging, &c.)		4	2	...	3	...	4	...	1	...	1	1	...	3	...	3	...	3	...	25	...	25	0·23
4. Execution—(Hanging)	1	1	...	1	0·01
5. Violent Deaths not classed		2	1	1	...	2	...	1	...	2	...	1	...	1	1	...	2	1	1	...	3	...	17	2	19	0·18
Total		69	22	53	10	56	11	66	17	42	8	39	11	42	15	37	12	54	9	67	15	57	10	49	13	631	153		
Unspecified.....		1	...	3	1	4	2	...	1	2	4	3	...	3	...	3	1	10	4	6	2	7	2	2	1	44	18	62	0·58
Total from all Causes.....		637	477	510	377	567	385	604	450	631	452	523	368	475	339	478	312	446	283	480	340	441	328	492	368	6284	4479	10763	100·00

I.

TABLE showing the DEATHS which have occurred from the causes stated, in each of the several WARDS of the City of SYDNEY, from 1st January to 31st December, 1878, distinguishing those under Five years of age.

CAUSES OF DEATH.	Gipps.		Bourke.		Brisbane.		Macquarie.		Cook.		Fitzroy.		Phillip.		Denison.		Total Deaths from each cause in Sydney.									
	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1878.	1877.	1876.	1875.	1874.	1873.	1872.	1871.	1870.	1869.
CLASS I.—ORDER 1.																										
1. Small-pox	4
1a. Chicken-pox	1	162	62
2. Measles	3	4	206	105	37	5	54	2	3	19
3. Scarlatina	1	1	1	17	20	17	36	12	16	7	7	11	14
3a. Diphtheria	1	1	1	1	1	1	5	3	2	...	1	...	17	20	17	36	12	16	7	7	11	14
4. Quinsy	1	1	3	3	4	5	2	...	1	...	1
5. Croup	2	...	1	1	7	...	4	...	6	1	2	1	5	...	2	2	34	17	34	27	16	18	18	5	8	26
6. Whooping-cough	5	...	6	...	5	...	11	...	28	...	11	...	13	...	12	1	92	15	1	...	21	12	14	63	5	46
7. Typhoid (and Infantile Fever).	2	3	1	26	...	4	...	4	6	10	3	16	4	9	6	9	103	61	77	75	39	61	36	16	50	72
8. Erysipelas	1	...	1	1	1	4	11	19	26	18	4	3	3	2	5
9. Metria (See Childbirth)	1	1	2	2	11	18	23	9	16	8	7	8
10. Carbuncle	1	1	2	1	...	1	...
11. Influenza	14	6	2	1	3	3	2	2	6
12. Dysentery	5	1	12	...	3	3	2	...	3	3	...	1	2	35	12	15	29	15	13	23	25	27	21
13. Diarrhoea	14	2	4	24	5	2	7	...	30	3	15	6	18	2	12	3	147	157	133	208	159	108	147	101	108	73
14. Cholera	1	1	2	2	2	2	1	1	3	...	3	...	18	16	18	20	17	13	12	7	7	6
15. Ague	1	1	2	1	2	6	...	1
16. Remittent Fever	4	6	3	3	1	2	...	2	...
17. Rheumatism	3	...	1	1	...	1	...	3	...	1	...	3	13	12	11	14	9	9	6	10	6	6
18. Pyæmia	1	...	1	2	2	5	6	2	2	3	3
19. Parotitis	1	...	1
	24	15	15	67	20	11	25	8	80	23	32	32	48	13	39	23	475	337	572	748	440	279	345	256	237	307
ORDER 2.																										
1. Syphilis	3	2	2	...	1	1	...	9	9	11	9	6	13	10	4	4	5
2. Stricture of the Urethra	1	1	3	6	3	3	1	5	1	1	1
	3	2	2	1	1	1	...	10	12	17	12	9	14	15	5	5	6
ORDER 3.																										
1. Privation	1	...	1	4	3	2	4	1	...
2. Want of Breast Milk	2	...	1	...	1	...	7	...	4	...	8	...	1	...	24	31	38	29	22	30	31	12	7	8
3. Purpura and Scurvy	4	2	2	4	1	2	2	2	2	1
4. Alcoholism :—
a. Del. Tremens	1	...	2	1	...	1	...	2	...	1	8	2	7	17	7	6	4	1	6	8
b. Intemperance	2	...	13	...	2	...	1	...	1	...	6	...	2	...	4	31	37	35	20	8	16	5	5	5	12
5. Rickets	1	1
	...	3	2	15	1	2	1	2	8	2	4	8	8	3	1	4	64	74	83	68	42	57	45	22	24	30
ORDER 4.																										
1. Thrush	1	...	2	2	...	1	6	3	...	7	4	6	5	6	7	1
2. Worms, &c.	1	1	2	3	2	1	1	2
2a. Hydatid	3	1	...	1	1	...	6	4	3
	3	1	...	2	1	...	1	2	...	1	1	12	8	4	9	7	8	6	7	7	...	3
Total, Class I.	24	18	17	88	23	13	27	10	92	27	37	41	58	16	42	28	561	431	676	837	498	358	411	290	273	346
CLASS II.—ORDER 1.																										
1. Gout	1	1	1	1	...	4	4	3	3	1	2	4	1	3	4
2. Dropsy	2	1	...	7	...	1	...	2	...	3	...	5	1	3	...	3	28	47	50	15	9	21	16	9	22	9
3. Cancer	2	...	13	...	2	...	2	...	6	...	7	...	4	...	5	41	33	48	44	49	56	38	27	28	18
3a. Tumour	1	1	...	3	...	4	...	1	...	1	11	9	4	2	1	2
3b. Polypus
4. Noma	1	1	2	...	2	3	1	2	1	...
5. Mortification	3	1	4	3	3	4	4	2	7	1	2	1
	2	5	...	24	...	4	...	5	...	13	1	17	1	8	...	10	90	96	110	71	65	85	65	38	56	33
ORDER 2.																										
1. Scrofula	1	2	1	1	1	1	8	10	7	8	12	16	14	8	8	10
2. Tabes Mesenterica	9	...	2	...	7	...	7	...	11	...	6	...	13	...	6	...	61	41	60	57	48	25	38	36	33	23
3. Phthisis	22	...	54	...	4	...	11	...	41	1	19	...	16	1	7	176	166	202	201	165	153	139	122	101	...
3a. Hæmoptysis	1	1	1	3	6	3
4. Hydrocephalus	2	...	2	...	2	1	...	1	...	2	11	7	19	19	17	7	10	14	19	14
5. Abscess	1	1	...	1	1	...	4	2	1	1	1
	9	23	2	55	11	4	10	11	14	45	9	20	14	18	10	8	263	232	292	285	242	202	218	198	182	148
Total, Class II.	11	28	2	79	11	8	10	16	14	58	10	37	15	26	10	18	353	328	402	356	307	287	283	236	238	181
CLASS III.—ORDER 1.																										
1. Cephalitis	6	2	1	...	1	1	3	...	14	...	10	1	3	...	8	2	52	50	44	61	59	80	59	36	32	42
2. Apoplexy	7	...	7	...	5	...	7	...	10	...	11	...	3	...	7	57	61	45	67	56	55	40	44	42	40
3. Paralysis	1	...	6	...	2	6	...	3	2	...	20	40	37	24	23	15	20	12	18	20
4. Insanity	1	1	...	2	2	3	...	2	1	1

CAUSES OF DEATH.	Gipps.		Bourke.		Brisbane.		Macquarie.		Cook.		Fitzroy.		Phillip.		Denison.		Total Deaths from each cause in Sydney.										
	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1878.	1877.	1876.	1875.	1874.	1873.	1872.	1871.	1870.	1869.	
CLASS III.—ORDER 1— <i>continued.</i>																											
5. Chorea	1	2	
6. Epilepsy	4	...	1	2	...	3	1	2	...	4	17	12	15	9	15	12	16	15	10	4	
7. Convulsions	16	...	5	...	11	...	5	1	20	2	14	1	20	...	21	...	116	79	112	106	116	105	127	93	87	83	
8. Brain Disease, &c.	1	5	...	15	...	3	...	2	1	5	...	7	2	2	...	3	46	34	36	41	51	45	35	36	21	27	
	23	15	6	32	12	12	8	10	35	25	24	27	26	7	29	19	310	278	293	310	322	313	297	236	210	217	
ORDER 2.																											
1. Pericarditis	2	...	1	1	...	1	5	5	4	4	6	...	1	2	5	7	
2. Aneurism	1	...	4	2	1	...	1	...	1	10	10	7	9	7	7	8	11	12	13	
3. Heart Disease, &c.	8	...	19	2	7	...	5	3	17	...	17	...	9	1	14	102	84	115	107	91	87	92	93	89	84	
	...	11	...	24	2	7	...	5	3	19	...	18	...	11	1	16	117	99	126	120	104	94	101	106	106	104	
ORDER 3.																											
1. Laryngitis	2	1	...	1	1	1	1	...	1	1	2	...	11	6	6	6	7	3	3	2	3	1	
2. Bronchitis	5	1	...	14	2	1	6	3	13	1	7	4	11	8	14	4	94	85	108	106	104	80	84	109	71	69	
3. Pleurisy	2	4	...	1	1	1	...	1	...	10	8	14	15	9	4	1	4	6	11	
4. Pneumonia	2	4	1	17	...	1	2	5	3	9	4	6	4	1	6	6	71	74	82	106	94	73	80	83	64	60	
4a. Congestion of the Lungs—Pulmonary.	1	3	4	2	11	2	3	1	1	1	1	1	31	22	19	13							
5. Asthma	1	...	1	2	1	5	1	3	11	11	9	6	1	3	3	
6. Lung Disease, &c.	1	2	1	4	10	11	11	8	15	10	10	21	25	
	12	7	1	40	6	6	9	11	28	13	15	15	16	11	23	13	226	206	243	268	233	184	184	209	168	169	
ORDER 4.																											
1. Gastritis	5	1	...	1	2	...	2	...	1	...	3	...	3	...	4	...	22	26	22	35	14	5	6	10	18	13	
2. Enteritis	1	5	...	3	2	1	1	2	10	4	4	1	10	5	8	2	59	22	29	38	36	42	35	36	27	25	
3. Peritonitis	1	1	...	1	...	1	...	2	...	1	7	16	13	20	13	5	14	6	7	16	
4. Ascites	1	1	1	2	2	...	1	8	3	4	4	4	4	6	1	9	1	
5. Ulceration of Intestines	1	1	4	2	3	2	4	4	8	
6. Hernia	4	1	5	...	3	3	3	1	2	...	1	2	
7. Ileus	1	1	...	2	...	1	5	6	1	8	2	2	8	3	9	3	
8. Intussusception	1	1	3	2	3	2	4	5	2	1	...	
9. Stricture of Intestines	1	...	2	3	2	1	2	2	1	1	2	
10. Fistula	
11. Stomach Disease, &c....	...	2	...	2	...	2	...	1	...	1	...	2	1	11	5	15	7	7	19	15	14	6	11	
12. Pancreas Disease, &c....	
13. Hepatitis	1	2	...	14	...	3	...	1	...	1	...	3	...	2	...	4	31	27	31	23	5	9	15	8	9	10	
14. Jaundice	1	1	1	...	3	5	7	5	5	8	5	1	2	1	
15. Liver Disease, &c.	2	...	1	8	1	3	1	3	...	4	23	28	32	51	41	38	26	36	28	36	
16. Spleen Disease, &c....	1	1	
	8	13	...	28	4	9	3	5	13	18	8	14	16	16	13	11	179	147	162	202	137	142	141	126	118	120	
ORDER 5.																											
1. Nephritis	1	1	1	3	11	12	10	7	4	1	4	...	2	
2. Ischuria	1	1	2	...	1	1	...	2	
3. Nephria	3	...	10	...	1	...	3	...	4	...	11	1	2	...	4	39	30	44	32	37	22	10	20	4	10	
4. Diabetes	1	1	3	1	4	2	...	1	3	3	2	
5. Stone	1	1	...	1	3	2	2	1	1	1	...	
6. Cystitis	1	...	4	...	1	1	7	5	3	8	3	4	3	3	2	2	
7. Kidney Disease, &c.	1	...	4	...	1	...	1	...	6	...	2	1	1	...	1	18	10	11	12	18	10	15	9	8	9	
	...	5	...	19	...	4	1	4	...	12	...	13	2	5	...	5	70	59	72	69	71	42	32	41	18	27	
ORDER 6.																											
1. Ovarian Dropsy.....	...	1	1	...	1	2	1	3	1	...	
2. Uterus Disease, &c.	1	...	1	...	1	...	1	...	1	5	...	6	5	5	3	2	2	2	4	
	...	2	...	1	...	1	...	1	...	1	6	...	7	5	5	5	3	5	3	4	
ORDER 7.																											
1. Arthritis	1	1	2	3	2	1	1	
1a. Ostitis Periostitis, &c.	1	1	1	
2. Joint Disease, &c.	2	2	1	1	3	...	1	1	3	
	1	1	2	4	5	3	1	4	1	2	1	3	
ORDER 8.																											
1. Phlegmon	1	2	1	1	
2. Ulcer	1	1	2	3	1	2	1	5	5	4	1	
3. Skin Disease, &c.....	1	2	3	2	2	2	3	2	2	1	
	...	1	1	2	4	2	4	5	4	3	9	7	6	3	
Total, Class III.....	43	54	7	144	24	39	21	36	79	89	47	88	62	51	66	64	914	795	912	982	877	787	768	732	630	647	

I—continued.

CAUSES OF DEATH.	Gipps.		Bourke.		Brisbane.		Macquarie.		Cook.		Fitzroy.		Phillip.		Denison.		Total Deaths from each cause in Sydney.									
	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	Under.	Over.	1878.	1877.	1876.	1875.	1874.	1873.	1872.	1871.	1870.	1869.
CLASS IV.—ORDER 1.																										
1. Premature Birth	4	...	1	...	5	...	1	...	14	...	7	...	13	...	12	...	57	48	60	67	28	37	37	40	32	32
2. Cyanosis	1	...	1	...	1	4	...	1	...	1	9	6	5	4	2	...	3	3	4	...
3. Spina Bifida	1	2	3	2	3	...	2	1	1	2
4. Other Malformations ...	1	...	1	2	2	...	1	...	1	...	8	6	5	5	6	7	3	9	10	7
5. Teething	4	...	1	...	2	...	2	...	9	...	1	...	6	...	5	...	30	51	35	41	49	32	53	47	37	52
	10	...	5	...	8	...	5	...	29	...	11	...	21	...	18	...	107	113	108	117	87	77	97	101	83	91
ORDER 2.																										
1. Paramenia	1	2	1	3
2. Childbirth (See Metria)	...	2	1	...	1	...	4	...	3	...	2	13	18	17	30	4	3	...	3	4	...
	...	2	1	...	1	...	4	...	3	...	2	13	18	19	31	4	3	...	3	4	3
ORDER 3.																										
1. Old Age	10	...	29	...	2	...	6	...	8	...	15	...	4	...	4	78	56	69	61	51	60	50	41	52	35
ORDER 4.																										
1. Atrophy and Debility...	6	...	2	...	7	...	10	...	23	...	22	...	29	...	24	...	123	114	130	162	142	108	101	89	119	120
Total, Class IV	16	12	7	29	15	2	15	7	52	9	33	19	50	7	42	6	321	301	326	371	284	248	248	234	258	249
CLASS V.—ORDER 1.—																										
ACCIDENT OR NEGLIGENCE.																										
1. Fractures & Contusions	...	1	1	34	1	1	...	1	1	3	...	2	...	3	1	2	51	40	35	40	35	32	36	25	20	16
2. Wounds { <i>a</i> Gunshot..	1	1	2	4	5	3	2	3	2
{ <i>b</i> Cuts	4	1	1	...	6	1	4	6
3. Burns and Scalds.....	1	...	4	4	1	...	1	...	1	1	...	1	2	...	16	6	22	10	9	19	8	8	12	8
3 <i>a</i> . Sunstroke	1	...	1	1	3	4	1	1	3	4	2	...	1	1
4. Poison	2	1	3	1	...	4	1	1	1	...	3	1
4 <i>a</i> . Bite of Snake or Insect	1
5. Drowning.....	...	2	1	1	4	15	12	10	16	21	13	21	16	14
6. Suffocation	2	1	1	...	1	...	4	1	...	1	...	11	8	6	7	2	4	...	3	10	5
7. Otherwise.....	1	1	2	...	1	...	4
	3	5	6	47	3	2	2	1	6	7	...	5	1	3	5	2	98	75	81	79	74	86	63	59	65	47
ORDER 2.—																										
VIOLENT DEATHS IN BATTLE.																										
1. Gunshot Wounds
2. Sword and Bayonet Wounds.
3. Otherwise.....
ORDER 3.—HOMICIDE.																										
1. Murder	1	1	...	2	1	1	6	6	2	3	8	4	5	4	1	2
2. Manslaughter	4	4	1	8	2	4	2	1	5	1	4
	5	1	...	2	1	1	10	7	10	5	12	6	6	9	2	6
ORDER 4.—SUICIDE.																										
1. Wounds { Gunshot	4	1	1	2	...	2	2
{ Cut, Stab, &c.	2	1	...	1	4	1	5	5	4	4	3	3	4	2
2. Poison	1	1	2	3	4	4	2	1	1	...	2	3
3. Drowning	2	1	1	1
4. Hanging	1	1	2	1	3	3	1	2	2	...	1	...
5. Otherwise.....	1	1	1
	3	...	1	1	...	1	...	1	...	7	10	14	15	10	6	8	5	8	10
ORDER 5.—EXECUTION.																										
1. Hanging	1	1	...	4	3
Violent Deaths (not classed).																										
Found drowned, &c.	5	1	4	...	4	1	...	2	2	19	15	14	8
Total, Class V.....	3	10	7	59	4	7	4	1	7	7	...	8	2	4	5	6	134	107	120	108	96	102	80	73	75	63
Causes not specified or ill-defined.																										
	...	5	...	3	...	1	1	3	...	6	1	7	1	1	2	7	38	38	55	19	15	18	20	18	18	25
GRAND TOTAL.....	97	127	40	402	77	70	78	73	244	196	128	200	188	105	167	129	2321	2000	2491	2673	2077	1800	1810	1585	1492	1511

J.

BIRTHS and DEATHS occurring at Sea in the Colony of New South Wales, from 1st January to 31st December, 1878.

	Births.			Deaths.		
	Males.	Females.	Total.	Males.	Females.	Total.
Sydney	13	11	24	68	27	95
Newcastle	1	1

K.

RETURN OF REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar.

District.	Name of Registrar.	Date of Appointment.	District.	Name of Registrar.	Date of Appointment.
1. Sydney	The Registrar General	15 Dec., 1870	46. Maitland	Cornelius Delohery, C.P.S.	1 April, 1876
2. Balmain	William Parker, Chemist	4 July, 1861	Greta	Thos. Jones	1 Jan., 1878
3. Concord	M. B. Young	24 May, 1877	47. Manning River ..	Jasper A. Creagh, C.P.S.	1 Feb., 1875
4. Glebe	William Richard Cobbin	16 Nov., 1875	Barrington	James Baker, C.P.S.	1 June, 1879
5. Newtown	Charles Alfred Newman	9 April, 1857	48. Wilcannia	Rudolph Roxburgh Morriset ..	9 Feb., 1875
6. Paddington	Henry Gale, Postmaster	1 July, 1863	Menindie	W. A. Steel, C.P.S.	1 Oct., 1878
Randwick	Wm. Bethune, Assistant D.R.	1 Feb., 1876	49. Moama	L. S. Donaldson, P.M.	1 Jan., 1878
Waverley	W. Wiley, Assistant D.R.	1 Aug., 1876	50. Molong	John H. Nisbett, C.P.S.	1 Nov., 1875
Woollahra	John Byrne do.	1 Aug., 1878	51. Morpeth	John Keating	16 Sept., 1872
7. Redfern	Christopher Warburton	30 Oct., 1865	52. Moulamein	Thomas Linton	13 July, 1860
8. Waterloo	M. A. Salmon	31 Mar., 1879	53. Mudgee	F. S. Isaacs, C.P.S.	1 Oct., 1876
9. St. George	Theophilus Henry Bolger	13 Oct., 1866	Gulgong	Cornelius Coghlan, C.P.S., Assistant D.R.	1 April, 1878
10. St. Leonards	Robert Dalzell Ward, surgeon ..	28 Feb., 1856	54. Murrurundi	G. R. Evans, C.P.S.	1 April, 1878
Manly	Æmelia M. Stephen, Assis- tant D.R.	1 July, 1877	55. Muswellbrook ..	Timothy Foley, C.P.S.	1 Dec., 1867
11. Albury	James. Chas. W. Crommelin ..	8 July, 1872	56. Narrabri	C. E. Smith, P.M.	16 May, 1859
12. Armidale	Ed. Marriott, C.P.S.	1 Mar., 1876	57. Newcastle	John Burrowes	28 Feb., 1856
Walcha	M. S. Love, C.P.S.	1 Feb., 1878	Lambton	William F. Dent, Assistant D.R.	13 Aug., 1874
13. Balranald	Richard B. Mitchell, C.P.S.	7 Feb., 1867	Wallsend	Thomas Alnwick, Assistant D.R.	1 Jan., 1875
14. Bathurst	James Beuzeville	8 April, 1874	58. Nundle	Samuel Kermode	2 Mar., 1874
15. Bega	John Davis, C.P.S.	1 Jan., 1871	59. Orange	William T. Evans, C.P.S.	20 Feb., 1856
16. Berrima	Fredk. Robertson Wilshire, P.M. & C.P.S.	1 May, 1872	60. Parramatta	George Wickham, C.P.S.	1 Oct., 1878
Burrawang	D. Moffitt, Assistant D.R.	1 Oct., 1876	61. Paterson	Benjamin Newbury (surgeon) ..	22 Mar., 1858
17. Bombala	James Giles, C.P.S.	24 Jan., 1871	62. Patrick's Plains ..	Fredk. J. Robinson	23 June, 1875
18. Bourke	Louis Fredk. Layard, C.P.S.	26 Oct., 1874	63. Penrith	John K. Cleeve, jun., C.P.S.	2 Aug., 1869
19. Braidwood	W. F. Robertson, C.P.S.	1 Sept., 1875	64. Picton	Wm. Redfern Antill	30 Mar., 1857
20. Brisbane Water ..	Thomas Cade Battley, C.P.S.	9 July, 1856	65. Port Macquarie ..	Robert Issell Perrott, C.P.S.	1 Oct., 1873
21. Broulee	W. Clarke, C.P.S.	1 Oct., 1876	66. Port Stephens ..	Thomas Laman, C.P.S.	2 Aug., 1869
22. Burrowa	William J. E. Wotton, C.P.S.	2 Aug., 1869	67. Queanbeyan	Fredk. B. Russell, P.M.	1 July, 1869
Grenfell	G. G. Brodie, C.P.S., Assis- tant D.R.	1 July, 1878	68. Raymond Terrace ..	William Gloag	28 Feb., 1856
23. Camden	John B. Martin, C.P.S.	14 Aug., 1856	69. Richmond	Rowland H. Ducker	1 Jan., 1878
24. Campbelltown ..	H. Dillon, C.P.S.	2 Oct., 1878	70. Richmond River ..	Malcolm M'Intyre Campbell, C.P.S.	26 April, 1875
25. Carcoar	Wm. Badcock Warner	1 Oct., 1877	Lismore	W. Carson, C.P.S.	1 Nov., 1878
26. Cassilis	J. H. Tompson, C.P.S.	1 Jan., 1879	71. Ryde	Geo. M. Pope, C.P.S.	30 Mar., 1857
27. Clarence Town ..	A. Newman	1 Oct., 1876	72. Rylstone	W. W. Armstrong, C.P.S.	5 Mar., 1857
28. Cooma	Geo. H. Smithers, C.P.S.	12 Sept., 1875	73. Scone	James T. Wilshire, C.P.S.	1 May, 1872
29. Coonabarabran ..	Fredk. Wm. Edwards, C.P.S.	25 Nov., 1863	74. Shoalhaven	William Lovegrove, C.P.S.	2 Aug., 1869
Coonamble	R. R. Bailey, P.M., Assis- tant D.R.	1 April, 1878	75. Sofala	Charles G. Smith	1 June, 1871
30. Cowra	John Arkins, C.P.S.	14 Nov., 1870	76. Tambaroora	James Sydney Willard (post- master)	28 June, 1872
31. Deniliquin	William Henry Hooper	1 June, 1874	Hill End	A. B. Burns, C.P.S., Assis- tant D.R.	1 Oct., 1878
32. Dubbo	Luke M'Guinn, C.P.S.	1 Aug., 1863	77. Tamworth	John M'Donald, C.P.S.	9 May, 1859
33. Dungog	Chas. G. Smith, C.P.S.	17 Sept., 1875	Gunnedah	T. K. Abbott, C.P.S., Assis- tant D.R.	16 Mar., 1878
34. Eden	R. B. Hays, C.P.S.	1 Jan., 1877	78. Tenterfield	John Simons, C.P.S.	1 Sept., 1875
35. Forbes	Stephen Freeman, C.P.S.	1 Sept., 1873	79. Tweed River ..	Joshua Bray	28 Sept., 1875
Parkes	W. W. Weston, C.P.S., Assis- tant D.R.	1 July, 1878	80. Tumut	Henry Hilton	15 Jan., 1870
Condobolin	Wm. Pye, Acting C.P.S.	7 Oct., 1878	81. Ulladulla	S. M. Burrows, C.P.S.	1 Nov., 1878
36. Goulburn	Chas. Somerville Alexander, C.P.S.	31 Mar., 1862	82. Wagga Wagga	Edwin H. Tompson, C.P.S.	2 Aug., 1869
37. Grafton	Wm. Henry Thomas, C.P.S.	1 April, 1874	Narrandera	Jno. L. King, C.P.S.	1 Sept., 1878
Maclean	Samuel MacNaughton, post- master, Assistant D.R.	1 June, 1872	Urana	C. L. C. Badham, C.P.S.	1 Nov., 1878
38. Gundagai	Archibald Scott Smith, post- master.	1 Feb., 1872	83. Walgett	Jas. Millar, Acting	1 July, 1879
Adelong	John James, Assistant D.R.	5 May, 1877	84. Warialda	F. C. Macarthur, C.P.S.	1 Jan., 1877
Cootamundra ..	C. H. B. Primrose	1 Sept., 1878	85. Wellingrove	H. H. Hutchinson (Mining Registrar)	29 Aug., 1879
39. Hartley, Lithgow ..	William Patk. Macdermott (auctioneer.)	25 July, 1869	Vegetable Creek ..	George Henry Gower (Warden's Clerk).	1 May, 1875
40. Hay	Joseph Ede Pearce, P.M.	1 June, 1874	86. Wellington	Frederick Marsh, C.P.S.	28 April, 1862
Hillston	N. C. O'Neill	1 Oct., 1878	87. Wentworth	Wm. Lyle Richardson, P.M.	1 April, 1872
41. Inverell	Wm. Clare Cardew, C.P.S.	1 April, 1875	88. Windsor	Wm. Hy. H. Becke, C.P.S.	1 April, 1874
42. Kiama	Henry Connell, junr., C.P.S.	5 June, 1863	89. Wollombi	Alfred Elliott	12 Mar., 1878
43. Liverpool	William Long (schoolmaster) ..	8 June, 1866	90. Wollongong	Alfred A. Turner, C.P.S.	2 Aug., 1869
Lord Howe Island ..	R. R. Armstrong	1 Sept., 1878	91. Yass	Leopold Yates, C.P.S.	17 June, 1870
44. Macdonald River ..	Thos. J. Thompson (post- master)	Aug., 1877	Gunning	John Fred. Kenyon, C.P.S., Assistant D.R.	1 Sept., 1877
45. Macleay River ..	J. B. Casey, C.P.S.	1 April, 1877	92. Young	J. R. Edwards, C.P.S.	2 Aug., 1869
Bellinger River ..	Arthur M. Fisher, P.M. & C.P.S., Assistant D.R.	1 Nov., 1877	Murrumburrah ..	C. Cutcliffe, C.P.S., Assis- tant D.R.	14 Aug., 1876
Nambucca River ..	George Henderson, Assistant D.R.	5 Sept., 1877			